



Kimberly Simmen, Proprietress
 104 Main Avenue
 Lake Grove, NY 11755
 631-848-2178
kmsnativeplants@gmail.com
www.kmsnativeplants.com

Native Plant Pickup Yard™ Seasonal Hours:
April 15 - Oct 31: *Thurs-Sat 10am-4pm, Sun 11am-4pm, Mon-Wed CLOSED*
Nov 1 - Dec 20: *Fri-Sat 10am-4pm, Sun 11am-3pm, Mon-Thurs CLOSED*
Dec 21 - Mar 31: CLOSED
 Available for presentations and workshops

2023 Availability List*

If you don't see what you are looking for, please ask!

To order plants from this list, please email your wish list to KMSnativeplants@gmail.com

(There is no order sheet, when emailing wish list please use latin names to avoid confusion)

**due to growing schedules, not all plants will be available at the same time and crop failure sometimes happens, prices subject to change*

Green Print: Native to Long Island

Flats (32, 50 or 72) are available on most plants. Requires a 2-3 week lead time. Most may be shipped direct to you!

Native Plant Gift Baskets available for pickup and local delivery.

Custom Packages Available for Your Specific Needs.

Key: S (sun), PS (partial sun/shade), Sh (shade), deer (rsistant), rabbit (resistant), clay (tolerant), salt (tolerant), drought (tolerant), black walnut (juglone tolerant)

Scientific Name (Common Name)	Size	Description	Price
Acer pensylvanicum (Snakebark Maple)	2 Gallon	15-25', Apr-May, PS, striped bark when young, must have moist soil, nectar source, Eastern US	\$ 60.00
Acer rubrum (Red Maple)	2 Gallon	red blooms Mar-Apr, 40-60', S-PS, moist-wet, excellent red fall color, black walnut, nectar source, Eastern and Central US	\$ 55.00
Acer saccharinum (Silver Maple)	2 Gallon	Mar, 50-80', S-PS, medium-wet, tolerates drought, black walnut, great fall color, host plant, nectar source, Eastern North America	\$ 55.00
Acer saccharum (Sugar Maple)	2 Gallon	Apr, 40-80', S-PS, tolerates heavy shade, moist, nectar source, Eastern North America	\$ 55.00
Achillea millefolium (Common Yarrow)	1 Quart	white to blush flowers Jun-Aug, 12-30", S, dry-average-well drained, fragrant foliage, drought, will spread to create a dense mat, pollinators, clay, deer, North America	\$ 15.00
Achillea millefolium (Common Yarrow)	1 Gallon	white to blush flowers Jun-Aug, 12-30", S, dry-average-well drained, fragrant foliage, drought, will spread to create a dense mat, pollinators, clay, deer, North America	\$ 21.00

Achillea millefolium 'Strawberry Seductions' (Red Common Yarrow)	1 Gallon	shades of red flowers Jun-Sep, 18-24", S, dry-average-well drained, fragrant foliage, drought, clay, will spread to create a dense mat, deer, great fresh cut and dried flower, deadhead to prolong bloom and keep tidy, pollinators, cultivar of North American native Achillea millefolium	\$ 18.00
Achillea millefolium 'Sunny Seductions' (Yellow Common Yarrow)	1 Gallon	shades of yellow flowers Jun-Sep, 18-24", S, dry-average-well drained, fragrant foliage, drought, clay, will spread to create a dense mat, deer, great fresh cut and dried flower, deadhead to prolong bloom and keep tidy, pollinators, cultivar of North American native Achillea millefolium	\$ 18.00
Acorus americanus (American Sweetflag)	1 Gallon	24-36", Jun-Jul followed by berries, S-PS, moist-wet, aromatic foliage, habitat and food for wildlife, deer, North America	\$ 27.00
Actaea racemosa (Black Cohosh)	1.5 Gallon	fragrant creamy white flowers Jul-Aug, 36-60", PS-Sh, average-moist-rich-acidic, rabbit, pollinators, nectar source, host plant to Spring Azure, North America	\$ 27.00
Adiantum pedatum (Maidenhair Fern)	1 Gallon	12-24", Sh-PS, delicate fronds with black stems, moist, deer, Midwest-Central US to Northeastern North America	\$ 25.00
Adlumia fungosa (Allegheny Vine)	1 Gallon	rare biennial vine, reproducing by seed only with almost heart-shaped pale pink-white flowers Jun-Jul, 2-12', S-PS, average-moist-well drained, first year is a leafy rosette, second year the vine shoots up, Eastern North America.	\$ 40.00
Agastache foeniculum (Anise Hyssop)	1 Gallon	lavender flowers July-Frost, 24-36", S-PS, dry-average, deer, great in a planter, North America	\$ 21.00
Agave virginica (Virginia Agave)	1 Quart	Sword shaped foliage to 16" long and pale yellow green fragrant flowers Jul-Oct tower over the foliage to 60", S-PS, dry-average-well drained, drought, great in a planter, great conversation piece, Southern US	\$ 28.00
Ageratina altissima (White Snakeroot)	Bare Root	2-3', white flowers Sep-Oct, S-PS, dry-adaptable-wet, pollinators, Eastern US (5 bare root plants per order)	\$ 3.00
Allium cernuum (Nodding Onion)	1 Quart	pink 'nodding' blooms July, 12-18", S-PS, self sows, great for pollinators, persistent foliage, clay, North America	\$ 15.00
Amelanchier canadensis (Serviceberry)	2 Gallon	white flowers Apr-May followed by edible berries in Jun, 25-30', average-moist, S-PS, fall color, Eastern North America	\$ 55.00
Amelanchier laevis (Allegheny Serviceberry)	TBD	white flowers Apr-May followed by edible berries in Jun, 15-25', S-PS, average-moist, fragrant, fall color, Eastern North America	TBD
Amorpha canescens (Lead Plant)	1 Gallon	purple flowers Jul-Sep, 24-36", S, dry-average, gray-green foliage, erosion, drought, pollinators, Central North America	\$ 35.00
Amorpha fruticosa (Indigobush)	2 Gallon	fragrant dark purple flowers May-Jun, 8-10', S, dry-moist, clay, acidic, salt, deer, forms thicket, pollinators, host plant to Silver-spotted Skipper, Gray Hairstreak, Southern US	\$ 45.00
Ammophila breviligulata (American Beach Grass)	100	best planted in fall, 12-18", S, dune stabilization, erosion control, salt, deer, plant in the fall, Northeast North America	\$ 100.00
Ammophila breviligulata (American Beach Grass)	1 Quart	best planted in fall, 12-18", S, dune stabilization, erosion control, salt, deer, plant in the fall, Northeast North America	\$ 9.00
Amsonia hubrichtii (Bluestar) 2011 Perennial Plant of the Year	2 Gallon	light blue star-shaped flowers May-Jun, 24-36", S-PS, adaptable-moist, striking fall foliage, native to AK & OK	\$ 21.00
Amsonia illustris (Shiny Bluestar)	1 Gallon	light blue star-shaped flowers May-Jul, 36", S-PS, average-moist, clay, drought, deer, yellow fall foliage, great fresh cut or dried flower, pollinators, nectar source, Central US	\$ 25.00
Amsonia tabernaemontana (Bluestar)	1 Gallon	light blue star-shaped flowers May-Jun, 24-36", S-PS, adaptable-moist-wet, clay, drought, yellow fall foliage, great fresh cut or dried flower, Eastern US	\$ 25.00
Amsonia tabernaemontana var. salicifolia (Willow Bluestar)	2 Gallon	Pale blue flowers May, 24-36", S-PS, average-moist, well drained, drought, clay, yellow fall foliage, deer, rabbits, great fresh cut or dried flower, pollinators, nectar source, host plant to Coral Hairstreak, Southeastern US	\$ 21.00
Andropogon gerardii (Big Bluestem)	1 Quart	silver seed heads, 4'-6', S, dry-average, fall color, deer, black walnut, host plant to Delaware Skipper and Dusted Skipper, Central to Eastern North America	\$ 15.00
Andropogon virginicus (Broomsedge)	1 Quart	4', S-PS, dry-moist, Sep. great fall color, salt, great in a planter, cut dried flower, nest material and food for birds, Eastern US	\$ 15.00

Anemone canadensis (Canada Anemone)	1 Gallon	white flowers May-Jun, 12-24", PS-Sh, moist but adaptable, can be aggressive in favorable conditions, deer, clay, protect from wind, divide every 3-4 years, North America	\$ 25.00
Anemonella thalictroides (Rue Anemone) LIMITED AVAILABILITY	Bare Root	white to blush flowers May-Jun, 4-8", PS-Sh, dry-moist-well drained, ephemeral - dormant in summer, black walnut, deer, pollinators, Eastern North America	\$ 6.00
Apios americana (Groundnut)	1 Gallon	vine or meandering ground cover to 10', mauve flowers Aug-Sep, S-PS, moist-well drained, edible tubers, host plant to Silver-spotted Skipper, Central to Eastern US	\$ 39.00
Aquilegia canadensis (Wild Columbine)	1 Quart	red/yellow bicolor flower May-Jun, S-PS-Sh, 24-36", average-well drained, deer, nectar source, host plant to Columbine Duskywing, Eastern US	\$ 12.00
Aquilegia canadensis (Wild Columbine)	1 Gallon	red/yellow bicolor flower May-Jun, S-PS-Sh, 24-36", average-well drained, deer, nectar source, host plant to Columbine Duskywing, Eastern US	\$ 21.00
Aquilegia canadensis 'Little Lanterns' (Compact Wild Columbine)	1 Quart	red/yellow bicolor flower May-Jun, PS, 12-18", average-well drained, deer, nectar source, cultivar of our Eastern US native	\$ 12.00
Aralia nudicaulis (Wild Sarsaparilla)	1 Gallon	white flowers May-Jun followed by dark blue berries, 20-30", S-PS, moist-average, deer, aggressive, used to make 'root beer' and can be made into a tea, North America	\$ 45.00
Arctostaphylos uva-ursi (Bearberry)	1 Quart	6-12", white flowers Apr-May followed by red berries, S-PS-Sh, dry-moist, adaptable, great ground cover, host plant to Hoary Elfin and Brown Elfin, North America	\$ 20.00
Arctostaphylos uva-ursi 'Massachusetts' (Bearberry)	1 Gallon	6-12", white flowers Apr-May followed by red berries, S-PS, dry-adaptable, great ground cover, cultivar from Massachusetts	\$ 30.00
Aristolochia macrophylla (Dutchman's Pipe)	1 Gallon	heart shaped leaves, pipe-shaped flowers May-Jun, S-PS, moist, host plant to Pipevine Swallowtail, Eastern North America	\$ 40.00
Aronia arbutifolia (Red Chokeberry)	2 Gallon	white flowers Mar-May, red berries and beautiful foliage in fall, exfoliating bark in winter, 6'-10', S-PS, moist-adaptable, edible, self pollinating but does best with more than one, Eastern North America	\$ 45.00
Aronia melanocarpa (Black Chokeberry)	2 Gallon	white flowers May followed by black fruit, 3-6", S-PS, moist-adaptable, drought, great fall color, moderate deer and rabbit, self pollinating but does best with more than one, nectar source, pollinators, Northeastern North America	\$ 50.00
Aronia melanocarpa 'Ground Hug' (Compact Black Chokeberry)	2 Gallon	white flowers May followed by black fruit, 8-14" x 36", S-PS, moist-adaptable, drought, ground cover, moderate deer and rabbit, great fall color, self pollinating but does best with more than one, great in a planter, nectar source, pollinators, Compact cultivar developed in Connecticut of our Northeastern North American native	\$ 65.00
Aruncus dioicus (Goatsbeard)	2 Gallon	fluffy white 'Astilbe-like' flowers Jun-Jul, 48-72", S-PS-Sh, moist-wet, rabbit, deer, needs a lot of space, host plant to Dusky Azure, North America	\$ 25.00
Asarum canadense (Wild Ginger) LIMITED AVAILABILITY	Bare Root	6-12", tiny flowers Apr-May, lovely kidney-shaped foliage, PS-Sh, moist-wet, clay, deer, host plant to Pipevine Swallowtail, Eastern North America	\$ 6.00
Asarum canadense (Wild Ginger)	1 Quart	6-12", tiny flowers Apr-May, lovely kidney-shaped foliage, PS-Sh, moist-wet, clay, deer, host plant to Pipevine Swallowtail, Eastern North America	\$ 24.00
Asclepias exaltata (Poke Milkweed)	1 Gallon	white with lavender/green fragrant flowers Jun-Aug, 24-72", S-PS, pollinators, deer, host plant to Monarch, Northeast US	\$ 25.00
Asclepias incarnata ssp pulchra (Showy Swamp Milkweed)	1 Quart	36-48", pink flowers, huge value to wildlife, average-moist-wet, deer, host plant to Monarch, Northeast US	\$ 15.00
Asclepias incarnata (Swamp Milkweed)	2 Gallon	36-48", pink flowers Jul-Aug, huge value to wildlife, average-moist-wet, deer, host plant to Monarch, Northeast US	\$ 25.00
Asclepias incarnata 'Ice Ballet' (White Swamp Milkweed)	2 Gallon	fragrant white flowers Jul-Aug, 36-48", S, average-moist-wet, nectar plant, deer, host plant to Monarch, cultivar of our Northeast US native	\$ 25.00
Asclepias purpurascens (Purple Milkweed)	1 Quart	deep purple flowers May-Jul, 24-36", S-PS, dry-moist, very aggressive so it needs space, great for erosion control, deer, rabbit, nectar plant, pollinators, host plant to Monarch, Eastern and Central US	\$ 27.00
Asclepias syriaca (Common Milkweed)	4" Pot	fragrant purple-pink flowers Jun-Jul, 24-60", very vigorous, deer, drought, great wildlife value, host plant to Monarch, Eastern US	\$ 10.00
Asclepias tuberosa (Butterfly Weed) 2017 Perennial Plant of the Year	1 Quart	orange flowers Jul-Aug, 18-24", S, dry-moist but prefers sandy well drained soil, deer, host plant to Monarch, Eastern and Southern US	\$ 15.00

Asclepias tuberosa (Butterfly Weed) 2017 Perennial Plant of the Year	1 Gallon	orange flowers Jul-Aug, 18-24", S, dry-moist but prefers sandy well drained soil, deer, host plant to Monarch, Eastern and Southern US	\$ 25.00
Asclepias verticillata (Whorled Milkweed)	1 Gallon	white/green flowers Jul-Aug, 12-36", S-PS, dry, great wildlife value, deer, rabbit, nectar, may be aggressive, host plant to Monarch, Northeast US	\$ 25.00
Asimina triloba (Pawpaw)	2 Gallon	15-30', bloom Apr-May, S-PS-Sh, moist-wet, black walnut, fall fruit, great understory tree, host plant to Pawpaw Sphinx Moth and Zebra Swallowtail (very rare in northern part of range), Southeastern US	\$ 85.00
Athyrium filix-femina (Lady Fern)	1 Gallon	bright green upright fronds, 12-36", moist-wet, PS-Sh, deer, rabbit, shelter from wind, North American	\$ 25.00
Athyrium filix-femina 'Lady in Red' (Red-stemmed Lady Fern Cultivar)	1 Gallon	bright green upright fronds with red stems, 12-36", moist-wet, PS-Sh, deer, rabbit, shelter from wind, cultivar of our North American native	\$ 25.00
Baccharis halimifolia (Groundsel)	1 Gallon	6-12' tall, salt, wet-drought, silver white flowers Sep-Oct, nectar source, host plant to several moth species, Eastern US	\$ 30.00
Baccharis halimifolia (Groundsel)\	3 Gallon	6-12' tall, salt, wet-drought, silver white flowers Sep-Oct, nectar source, host plant to several moth species, Eastern US	\$ 50.00
Baptisia alba (White Wild Indigo)	1 Gallon	white flowers Jun-Jul followed by showy black seed pods, 24-48", S-PS, dry-moist-average, showy seed pods, special value to bumblebees and other pollinators, host plant to Wild Indigo Duskywing and Zarucco Duskywing (rare), Southeastern US	\$ 30.00
Baptisia australis (False Indigo) 2010 Perennial Plant of the Year	2 Gallon	purple flowers May-Jun followed by showy black seed pods, S-PS, moist-average, drought, deer, 3-4', ornamental seed heads, silver blue leaves, special value to bumblebees and other pollinators, host plant to Frosted Elfin, Eastern Tailed Blue, Wild Indigo Duskywing, Clouded Sulfur, Orange Sulfur and many moths and Skippers, Central and Eastern North America	\$ 27.00
Baptisia tinctoria (Wild Indigo)	1 Gallon	yellow flowers May-Jun followed by showy black seed pods, 24-36", S, dry-sandy, drought, deer, special value to bumblebees and other pollinators, host plant to Frosted Elfin, Hoary Edge and Wild Indigo Duskywing, Eastern US	\$ 30.00
Betula nigra (River Birch)	2 Gallon	Apr-May, 40-70', S-PS, moist-wet, deer, black walnut, host plant to Eastern Tiger Swallowtail, Mourning Cloak, Dreamy Dusky Wing and several silk moths, Eastern US	\$ 55.00
Betula populifolia (Grey Birch)	2 Gallon	20-40', April bloom, S-PS, moist-wet, columnar shape, fast grower, host plant to Eastern Tiger Swallowtail, Mourning Cloak, Dreamy Dusky Wing and several silk moths, Eastern North America	\$ 55.00
Blephilia ciliata (Woodmint)	DP50 Flat or Plugs	lavender flowers with purple spots Jun-Aug, 12-24", S-PS, dry-average, well drained, clumping form, nectar source, special value to pollinators especially bumblebees, Eastern United States	\$6.00/plug or \$235/flat
Boltonia asteroides (False Aster)	1 Quart	abundant white flowers Aug-Oct, 36-60", average-wet, S-PS, great for pollinators, great rain garden plant, drought, clay, deer, North American	\$ 15.00
Bouteloua curtipendula (Side-Oats Grama)	1 Gallon	purplish seed heads age to straw color Jul-Winter, 24-36", S-PS, dry-moist, drought, salt, great fall color, host plant to several Skippers and moths, North America	\$ 23.00
Calamagrostis canadensis (Bluejoint Grass)	4 Quart	blue green foliage with green seed heads Jun-Aug, 3-5', S-PS, average-wet, tolerates drought, erosion, deer, salt, North America	\$ 25.00
Callicarpa americana (American Beautyberry)	2 Gallon	3-6' tall and just as wide, S-PS, pale pink flowers in summer followed by stunning magenta berries in the fall, valuable for wildlife food source, average-moist, good understory shrub, container garden, host plant to Spring Azure and Snowberry Clearwing Moth, Southeastern US	\$ 55.00
Callirhoe involucrata (Poppy Mallow)	DP50 Flat or Plugs	magenta flowers May-Oct, 6-12", S-PA, dry, showy, ground cover, long tap root once established, host plant to Gray Hairstreak, container garden, nectar source, Central US	\$6.00/plug or \$250/flat
Caltha palustris (Marsh Marigold)	1 Quart	yellow flowers Apr-May, 1-4", PS-Sh, moist-wet, goes dormant in summer, North America	\$ 18.00

Carex albicans (White-tinged Sedge)	DP50 Flat or Plug	May 'bloom', 15-20", PS-Sh, semi-evergreen, average-dry-moist, drought, deer, ground cover, North America	\$6.50/plug or \$270/flat
Carex albicans (White-tinged Sedge)	1 Gallon	May 'bloom', 15-20", PS-Sh, semi-evergreen, average-dry-moist, drought, deer, ground cover, North America	\$ 21.00
Carex amphibola (Creek Sedge)	DP50 Flat	May 'bloom', 12-18", PS-Sh, moist-wet, semi-evergreen, tolerates light foot traffic, host plant to several skipper butterflies, Eastern North America	\$ 235.00
Carex appalachica (Appalachian Sedge)	1 Gallon	May 'bloom', 12-18", PS-Sh, average-dry, ground cover, drought, does not like wet soil, deer, nectar source, host plant to several butterflies, North America	\$ 20.00
Carex bicknellii (Bicknell's Sedge)	4" Pot	Apr-Jul 'bloom', S-PS, dry-moist, 24-36", great choice for rain gardens, deer, drought, Eastern North America	\$ 12.00
Carex brevior (Shortbeak Sedge)	1 Gallon	Apr-May 'bloom', S-PS, 12", dry-average-moist-wet, ground cover, deer, fantastic mixed with Asclepias syriaca, North America	\$ 27.00
Carex bromoides (Brome-like Sedge)	1 Gallon	May-Jul 'bloom', 8-12", deer, PS, average-wet, tolerates sun if ground stays moist, ground cover, Eastern North America	\$ 25.00
Carex eburnea (Bristle-leaf Sedge)	1 Quart	bloom' Apr, 6-12", PS-Sh, dry-moist, deer, Eastern and Central North America	\$ 27.00
Carex flaccosperma (Blue Wood Sedge)	1 Gallon	evergreen blue foliage, May-Jun 'bloom', 12", PS-Sh, average-wet, deer, drought, rain garden, Eastern North America	\$ 30.00
Carex grayi (Mace Sedge)	1 Quart	mace-shaped seed heads May-Oct, S-PS, 24-36", semi-evergreen, moist-wet, rain garden, deer, great cut and dried flower, Eastern North America	\$ 18.00
Carex laxiculmis (Creeping Sedge)	1 Gallon	bluish green creeping foliage, 'blooms' Apr-Jul, 12", Sh-PS, moist-rich, semi-evergreen, deer, tolerates light foot traffic, Eastern North America	\$ 30.00
Carex pennsylvanica (Oak Sedge)	DP50 Flat or Plugs	May 'bloom', 8-12", semi-evergreen, Sh-PS, dry-average, deer, lawn alternative in shady spots, nest material for birds, Eastern North America	\$6.00/plug or \$220/flat
Carex pennsylvanica (Oak Sedge)	4" Pot	May 'bloom', 8-12", semi-evergreen, Sh-PS, dry-average, deer, lawn alternative in shady spots, nest material for birds, Eastern North America	\$ 12.00
Carex pennsylvanica (Oak Sedge)	1 Gallon	May 'bloom', 8-12", semi-evergreen, Sh-PS, dry-average, deer, lawn alternative in shady spots, nest material for birds, Eastern North America	\$ 25.00
Carex plantaginea (Seersucker Sedge) LIMITED AVAILABILITY	LP32 plugs	subtle 'flowers' May, evergreen wide leaves with seersucker look, 8-12", PS-Sh, average-moist, deer, ground cover, tolerates drought, host plant to several woodland butterflies, Mid to Eastern North America	\$6.00/plug
Carex rosea (Rosy Sedge)	DP50 Flat or Plugs	May 'bloom', 12", Sh-PS, dry-wet, semi-evergreen, ground cover, lawn substitute, deer, Eastern North America	\$6.00/plug or \$220/flat
Carex rosea (Rosy Sedge)	4" Pot	May 'bloom', 12", Sh-PS, dry-wet, semi-evergreen, ground cover, lawn substitute, deer, Eastern North America	\$ 12.00
Carex sprengelii (Long-beaked Sedge)	DP50 Flat or Plugs	bright green foliage, semi-evergreen, 12-36", S-PS, moist-wet, drought, deer, great fresh cut or dried 'flower', cover for birds and other small mammals, birds eat the seeds, native to North America	\$6.00/plug or \$220/flat
Carex stricta (Tussock Sedge)	1 Quart	Jun 'bloom', 12-36", S-PS, medium-wet, evergreen, deer, erosion, aggressively spreads, great cut and dried 'flower', great in a planter, attracts birds and butterflies, Central US	\$ 18.00
Carex texensis (Texas Sedge)	DP50 Flat	Neat, clumping habit, 10-12" tall. S-PS, 'blooms' in spring, moist-dry, drought, deer, Eastern US	\$ 252.00

Carpinus virginiana (American Hornbeam)	TBD	golden/yellow catkins Mar-May followed by edible nutlets, PS-Sh, 20-30', moist-rich-well drained, drought, periodic flooding, black walnut, excellent fall color, birds and small mammals eat nutlets, nectar source, host plant to Eastern Tiger Swallowtail and Striped Hairstreak, Eastern US	call for pricing
Ceanothus americanus (New Jersey Tea)	1 Gallon	fragrant white flowers May-Jun, 3-4', S-PS, dry-moist, black walnut, special value to native bees, host plant to Spring Azure, Summer Azure, Mottled Duskywing, Eastern US	\$ 35.00
Celtis occidentalis (Common Hackberry)	2 Gallon	insignificant green flowers Apr-May, 40-60', S-PS-Sh, dry-moist-wet, edible, great wildlife value, host plant to Wild Cherry Sphinx Moth, Question Mark, Mourning Cloak, Tawny Emperor and American Snout, Central and Northeastern North America	\$ 55.00
Cephalanthus occidentalis (Buttonbush)	2 Gallon	white flowers Jun-Aug followed by red seed pods, 5-12', fragrant, S-PS-Sh, moist-wet, great for pollinators and birds, honey plant, host plant to Hydrangea Sphinx moth	\$ 55.00
Cercis canadensis (Redbud)	2 Gallon	pink flowers in Apr, 25-30', good fall color, S-PS, moist-dry, black walnut, deer, nectar source, flowers and buds are edible, host plant to Henry's Elfin, Eastern North America. Please call for larger size.	\$ 55.00
Chamaecrista fasciculata (Partridge Pea)	1 Quart	yellow flowers in Jul-Aug, 12-36", S-PS, dry-moist, annual but will self sow readily, drought, host plant to Gray Hairstreak, Cloudless Giant Sulphur, Orange Sulphur and Sleepy Orange Butterflies, Eastern-Central and Southeastern US	\$ 15.00
Chasmanthium latifolium (Wild Oats)	Bare Root	36-60", S-PS-Sh, self sows, deer, great dried and cut flower, nesting material for birds and seeds are eaten by mammals and birds, host plant to Pepper & Salt Skipper, Eastern North America	\$ 10.00
Chasmanthium latifolium (Wild Oats)	1 Gallon	36-60", S-PS-Sh, self sows, deer, great dried and cut flower, nesting material for birds and seeds are eaten by mammals and birds, host plant to Pepper & Salt Skipper, Eastern North America	\$ 21.00
Chasmanthium laxum (Slender Oats)	DP50 Flat or Plug	graceful habit, 24-36" with flower May-Aug, PS-Sh-S, average-moist, tolerates some drought, beautiful fall color, deer, <i>endangered in NY and PA</i> , native to Eastern and Southeastern US	\$7.00/plug or \$235/flat
Chelone glabra (White Turtlehead)	1 Gallon	white flowers Aug-Sep, 18-28", S-PS-Sh, moist-wet, deer, does not tolerate dry soil, host plant to Baltimore Checkerspot, Eastern North America	\$ 25.00
Chelone lyonii 'Hot Lips' (Pink Turtlehead Cultivar)	1 Gallon	rose pink flowers Aug-Sep and attractive red stems, 24-48", S-PS, moist-wet, tolerates a little drought, deer, rabbit, pollinators, hummingbirds, great cut flower, cultivar to our Central US native	\$ 25.00
Chelone obliqua (Red Turtlehead)	1 Gallon	purplish pink flowers Jul-Sep, 24-36", S-PS, moist-rich, deer, pollinators, hummingbirds, Southeastern US	\$ 25.00
Chimaphila maculata (Spotted Wintergreen)	Bare Root	waxy, fragrant, white flowers Jul-Aug, 6-12" tall, Sh, dry-well drained-acidic, evergreen mottled foliage, deer resistant, great under pine and oak trees, pollinators, spreads slowly by rhizomes and seeds, Eastern US	\$ 9.00
Chrysogonum virginianum 'Superstar' (Golden Star)	1 Gallon	yellow flowers in May and sporadically through Oct, 6-12", PS-Sh, average-moist-well drained, semi-evergreen, long blooming ground cover, deer, tolerates heavy shade and clay soil, may self sow, native to North America	\$ 22.00
Chrysopsis mariana (Maryland Golden Aster)	DP50 Flat	golden yellow flowers Aug-Sep, 24", S-PS, dry-moist, drought, short lived but self sows readily, deer, Eastern US	\$6.00/plug or \$250/flat
Chrysopsis mariana (Maryland Golden Aster)	1 Gallon	golden yellow flowers Aug-Sep, 24", S-PS, dry-moist, drought, short lived but self sows readily, deer, Eastern US	\$ 27.00
Clematis virginiana (Virgin's Bower)	2 Gallon	fragrant white flowers Aug-Oct, 20', S-PS-Sh, average-wet, deer, rabbit, black walnut, cut back in April, may be pruned anytime during the growing season, Eastern North America	\$ 45.00
Clethra alnifolia (Sweet Pepperbush)	2 Gallon	fragrant white spikes Jul-Aug, 3-8', average-moist-wet-adaptable-well drained, S-PS-Sh, tolerates full shade but will not produce as many flowers as it would in full-partial shade, prune late winter, nice fall color, nectar source, special value to bumblebees and other pollinators, Eastern and Southern North America	\$ 48.00

Clethra alnifolia (Sweet Pepperbush)	3 Gallon	fragrant white spikes Jul-Aug, 3-8', average-moist-wet-adaptable-well drained, S-PS-Sh, tolerates full shade but will not produce as many flowers as it would in full-partial shade, prune late winter, nice fall color, nectar source, special value to bumblebees and other pollinators, Eastern and Southern North American native	\$ 60.00
Clethra alnifolia 'Hummingbird' (Compact Sweet Pepperbush)	1 Quart	fragrant white spikes Jul-Aug, 2-4', average-moist-wet-adaptable-well drained, S-PS-Sh, tolerates full shade but will not produce as many flowers as it would in full-partial shade, prune late winter, nice fall color, nectar source, special value to bumblebees and other pollinators, Compact cultivar of our Eastern and Southern North American native	\$ 15.00
Clethra alnifolia 'Hummingbird' (Compact Sweet Pepperbush)	3 Gallon	fragrant white spikes Jul-Aug, 2-4', average-moist-wet-adaptable-well drained, S-PS-Sh, tolerates full shade but will not produce as many flowers as it would in full-partial shade, prune late winter, nice fall color, nectar source, special value to bumblebees and other pollinators, Compact cultivar of our Eastern and Southern North American native	\$ 60.00
Clethra alnifolia 'Ruby Spice' (Pink Sweet Pepperbush)	3 Gallon	fragrant pink flowers in Jul-Aug, 4-6', S-PS-Sh, moist-wet-rich, well drained, does not tolerate drought, pollinators, cultivar of our Eastern and Southern North American native.	\$ 60.00
Collinsonia canadensis (Horsemint)	1 Quart	yellow flowers Jul-Sep, 24-36", PS, average-moist-rich, well drained, clay, tolerates drought, foliage and flowers have citronella fragrance, leaves may be used to make tea, Eastern North America	\$ 15.00
Comptonia peregrina (Sweetfern)	1 Gallon	brown catkins in May, 2-4', S-PS, not a fern but a shrub, adaptable-dry-moist, great for erosion control, fragrant leaves, rain garden, deer, rabbit, needs space due to suckering habit, host plant to Gray Hairstreak, Io Moth and several Sphinx Moths, Eastern North America	\$ 36.00
Conoclinium coelestinum (Hardy Ageratum)	Bare Root	lavender blue flowers Sep-Oct, 20-36", average-moist-adaptable, S-PS, deer, pollinators, self sows and is quite aggressive, nectar source, great cut flower, great in a planter, black walnut, Eastern US (picture is cultivar 'Wayside')	\$ 5.00
Coreopsis rosea (Pink Tickseed)	DP50 Flat or Plugs	pink flowers with yellow centers Jun-Frost, 12-18", average-moist-well drained, S, will self sow readily (comes true from seed), fine textured foliage, benefits from a shearing after the first flush of flowers, lovely in a planter, deer, rabbit, nectar source, pollinators, cultivar of our Northeast native	\$6.00/plug or \$220/flat
Coreopsis rosea 'American Dream' (Pink Tickseed Cultivar)	1 Gallon	pink flowers with yellow centers Jun-Frost, 12-18", average-moist-well drained, S, will self sow readily (comes true from seed), fine textured foliage, benefits from a shearing after the first flush of flowers, lovely in a planter, deer, rabbit, nectar source, pollinators, cultivar of our Northeast native	\$ 20.00
Coreopsis tinctoria (Golden Tickseed)	1 Gallon	bicolor yellow/red flowers Jun-Sep, 12-36", S, dry-average, clay, drought, salt, annual but will self sow readily in the garden, deer, great cut flower, great in a planter, pollinators, Western United States	\$ 25.00
Coreopsis verticillata (Threadleaf Tickseed)	1 Quart	yellow flowers Jun-Sep, 18-36", S, dry-average, deer, rabbit, shear in mid summer for more blooms, birds eat the seeds, nectar source, pollinators, Eastern United States	\$ 12.00
Coreopsis verticillata 'Zagreb' (Threadleaf Tickseed Cultivar)	1 Gallon	yellow flowers Jun-Sep, 12-18", S, moist-dry, clay, drought, shear the plant back in late summer to encourage fall bloom and to keep it tidy, deer, rabbit, nectar source, pollinators, cultivar of our Eastern US native	\$ 18.00
Cornus alternifolia (Pagoda Dogwood)	TBD	showy, fragrant white flowers Jun followed by reddish-purple berries, 15-25', PS-Sh, tolerates morning sun, moist-average, acidic, well drained, gorgeous bark for winter interest, great for birds and small mammals, host plant to Spring Azure, Eastern North America	Call for pricing
Cornus amomum (Silky Dogwood)	2 Gallon	6-12', white flowers May-Jun followed by blue berries, S-PS-Sh, moist-wet, deer, black walnut, birds and small mammals eat the fruit, host plant to Spring Azure and Summer Azure, Eastern North America	\$ 55.00
Cornus florida (Common Dogwood)	TBD	15-30', white flowers Apr-May, PS-S, moist, deer, black walnut, birds and small mammals eat the fruit, host plant to Spring Azure, Summer Azure and Cecropia Moth, Eastern North America	call for pricing
Cornus racemosa (Gray Dogwood)	2 Gallon	10-15', white flowers May-Jun followed by white berries, S-PS-Sh, moist-wet, birds and small mammals eat the fruit, deer, host plant to Spring Azure, Summer Azure and Gray Hairstreak, Eastern North America	\$ 55.00
Cornus sericea (Red Twig Dogwood)	2 Gallon	white flowers May-Jun followed by white/bluish berries, 6-9', PS, average-wet, erosion, deer, fall color, host plant to Spring Azure, Summer Azure and Gray Hairstreak, North America	\$ 45.00

Dennstaedtia punctilobula (Hayscented Fern)	1 Gallon	light green fronds, 12-24", S-PS-Sh, moist, great large scale ground cover, rabbit, deer, Eastern North America	\$ 25.00
Deschampsia cespitosa (Tufted Hair Grass)	1 Gallon	long lasting, 'cloud-like' panicles Jul, 24-36", PS-S, consistently moist-average-rich, semi-evergreen, moderate salt, great fresh cut and dried flower, self sows, black walnut, deer, rabbit, birds eat seeds, erosion, North America	\$ 24.00
Deschampsia cespitosa 'Goldtau' (Golden Tufted Hairgrass Cultivar)	1 Gallon	long lasting, golden 'cloud-like' panicles Jul, 16-24", PS-S, consistently moist-average-rich, semi-evergreen, deer, rabbit, great fresh cut and dried flowers, great for hiding the leggy stems of Monarda species and Phlox paniculata, black walnut, tolerates moderate foot traffic, birds eat seeds, cultivar of our North American native	\$ 24.00
Deschampsia flexuosa (Wavy Hairgrass)	1 Quart	long lasting 'cloud-like' panicles Jun with rebloom in fall, 12-30", PS-Sh, dry-moist, semi-evergreen, drought, self sows, salt, deer, birds eat seeds, great fresh cut and dried flower, tolerates heavy foot traffic, North America	\$ 18.00
Dicentra eximia (Wild Fringed Bleeding Heart) LIMITED AVAILABILITY	1 Gallon	pink heart-shaped flowers Apr-May with rebloom in fall, 12-18", PS, consistently moist-well drained, rabbit, deer, self sows, Eastern United States	\$ 25.00
Dicentra eximia 'Luxuriant' (Fringed Bleeding Heart Cultivar)	1 Gallon	dark pink, heart-shaped flowers May-Jun, 12-18", PS, consistently moist-well drained, gray-green fern-like foliage, great fresh cut flower, rabbit, deer, cultivar of our Eastern US native	\$ 25.00
Diervilla lonicera (Bush Honeysuckle)	TBD	yellow flowers Jun-Jul, 24-36", S-PS, dry to average, fall color, prune after flowering, special value to bumblebees, host plant to Snowberry Clearwing, Laurel Sphinx Moth and Hummingbird Clearwing Moth, Eastern North America	TBD
Diospyros virginiana (Common Persimmon)	3 Gallon	yellow-green blooms Apr-Jun, 15-40', S-PS, dry-moist, male and female necessary but not sexed in the trade (blooms around age 10), clay, drought, black walnut, host for Luna moth, Eastern and Midwestern United States	\$ 85.00
Doellingeria umbellata (Flat-Topped Aster)	4" Pot	white flowers with yellow eyes Aug-Sep, 24-60", S-PS, average-moist-wet, pollinators, great cut flower, great in a planter, black walnut, may be aggressive, host plant to Pearl Crescent, Silvery Checkerspot, Harris Checkerspot and several species of moths, Northeastern US	\$ 12.00
Dryopteris filix mas (Male Fern)	1 Gallon	semi-evergreen fronds, 24-36", PS-Sh, moist-average-well drained, deer, rabbit, North America	\$ 25.00
Dryopteris goldiana (Goldie's Wood Fern)	1 Gallon	Sh-PS, 36-48", moist, rabbit, deer, protection from wind is necessary, Eastern North America	\$ 25.00
Dryopteris marginalis (Leatherwood Fern)	1 Gallon	18-24", PS-Sh, moist, evergreen, great specimen, rabbit, deer, cover for toads and lizards, black walnut, North America	\$ 25.00
Echinacea pallida (Pale Purple Coneflower)	1 Quart	pale purple flowers Jun-Jul, 24-36", S-PS, dry-average-moist, fragrant, deer, good cut flower, nectar source, great in a planter, pollen is white, pollinators, birds, host plant to Silvery Checkerspot and several moths, Eastern and Central North America	\$ 18.00
Echinacea paradoxa (Yellow Coneflower)	1 Quart	yellow flowers Jun-Aug, 24-36", S, dry-average, fragrant, deer, nectar source, pollinators, birds, host plant to Silvery Checkerspot and several moths, native to AR, MO & OK	\$ 18.00
Echinacea purpurea (Purple Coneflower)	2 Gallon	pink purple flowers Jun-Aug, S-PS, 2-4', adaptable-dry, clay, bees, birds, nectar source, pollinators, birds, self sows and may be aggressive, divide every 4 years, host plant to Silvery Checkerspot and several moths, Eastern North America	\$ 21.00
Elymus virginicus var. halophilus (Salt Marsh Wild Rye)	1 Quart	Neat, clumping habit, 10-12" tall. S-PS, 'blooms' in spring, wet-moist-dry, drought, deer, clay, Central to Eastern North America	\$ 15.00
Eragrostis spectabilis (Purple Lovegrass)	DP50 Flat or Plugs	airy purple 'flowers' Aug-Sep, 24", S, moist-well drained, drought, deer, black walnut, host plant to Zabulon Skipper, Central to Eastern North America	\$6.00/plug or \$225/flat
Eragrostis spectabilis (Purple Lovegrass)	1 Quart	airy purple 'flowers' Aug-Sep, 24", S, moist-well drained, drought, deer, black walnut, host plant to Zabulon Skipper, Central to Eastern North America	\$ 15.00
Eragrostis spectabilis (Purple Lovegrass)	1 Gallon	airy purple 'flowers' Aug-Sep, 24", S, moist-well drained, drought, deer, black walnut, host plant to Zabulon Skipper, Central to Eastern North America	\$ 24.00

Erigeron pulchellus (Robin's Plantain)	1 Quart	white-pale pink flowers May-Jun, 6-8" foliage - 24" while flowering, S-PS, pollinators, deer, dry-moist, great ground cover, Eastern and South-Central US	\$ 15.00
Erigeron pulchellus 'Lynnhaven Carpet' (Robin's Plantain Cultivar)	1 Gallon	white-pale lavender flowers May-Jun, 6-8" foliage - 18" while flowering, S-PS, deer, low ground cover, dry-moist, great in a planter, cultivar found in Virginia Beach	\$ 25.00
Eryngium yuccifolium (Rattlesnake Master)	1 Gallon	greenish white flower Jul-Sep, S, 36-48", deer, average-moist-well drained-adaptable, drought, great for bees and birds, nectar source, black walnut, clay, self sows aggressively, Mid - Southeast US	\$ 24.00
Eubotrys racemosa (Sweet Bells)	2 Gallon	white bell like flowers May-Jun, 3-8', PS, moist-average, does not tolerate drought or windy conditions, deer, great fall color, pollinators, Southeastern US	\$ 50.00
Eupatorium hyssopifolium (Hyssop Leaf Boneset)	1 Gallon	white flowers Aug-Oct, 24-48", moist-dry, S-PS, drought, deer, pollinators, cut flower, black walnut, host plant to Clymene Moth, Eastern US	\$ 22.00
Eupatorium perfoliatum (Common Boneset) LIMITED AVAILABILITY	1 Quart	white flowers Aug-Sep, 24-72", S-PS-Sh, moist-wet, deer, nectar source, pollinators, Southeastern US	\$ 15.00
Eupatorium perfoliatum (Common Boneset)	1 Gallon	white flowers Aug-Sep, 24-72", S-PS-Sh, moist-wet, deer, nectar source, pollinators, Southeastern US	\$ 24.00
Eupatorium serotinum (Late Thoroughwort)	1 Gallon	White flowers, 3-5', PS-S, moist,	
Euphorbia corollata (Flowering Spurge)	4" Pot	white flowers Jun-Aug, 24-36", S-PS, dry-medium-adaptable, drought, deer, nectar source, pollinators, birds eat seeds, milky sap may cause skin irritation, Eastern US	\$ 21.00
Eurybia divaricata (White Wood Aster)	1 quart	masses of white/pink flowers Sep-Oct, 12-24", moist-dry-adaptable, PS-Sh, drought, great in a planter, host plant to Pearl Crescent and Checkerspot, Eastern North America	\$ 15.00
Eurybia divaricata (White Wood Aster)	1 Gallon	masses of white/pink flowers Sep-Oct, 12-24", moist-dry-adaptable, PS-Sh, drought, great in a planter, host plant to Pearl Crescent and Checkerspot, Eastern North America	\$ 24.00
Eurybia divaricata 'Eastern Star' (White Wood Aster Cultivar)	1 Gallon	white flowers Sep-Oct, 12-24", moist-dry, black walnut, pollinators, great cut flower, great in a planter, host plant to Pearl Crescent and Checkerspot, Eastern North American cultivar found in Rhode Island	\$ 24.00
Eurybia macrophylla (Bigleaf Aster)	NA	pale lavender flowers Sep-Oct, 12-36", S-PS, moist-dry-well drained, spreads by rhizomes and self sows, great ground cover, black walnut, host plant to Pearl Crescent, Silvery Checkerspot and several species of moths, Eastern North American	NA
Eurybia macrophylla 'Twilight (Bigleaf Aster Cultivar)	1 Gallon	pale lavender flowers Sep-Oct, 28-36", S-PS, moist-dry-well drained, spreads by rhizomes and self sows, great ground cover, black walnut, host plant to Pearl Crescent, Silvery Checkerspot and several species of moths, naturally occurring cultivar of Eastern North American natives - Aster spectabilis and Aster macrophyllus	\$ 23.00
Eurybia spectabilis (Showy Aster)	DP50 Flat	2" wide violet-blue flowers Aug-Oct, 18-28", moist-dry, S-PS, black walnut, clay, great cut flower, Eastern US	\$ 255.00
Eurybia spectabilis (Showy Aster)	1 Gallon	2" wide violet-blue flowers Aug-Oct, 18-28", moist-dry, S-PS, black walnut, clay, great cut flower, Eastern US	\$ 24.00
Euthamia graminifolia (Grass-leaved Goldenrod)	1 Gallon	flat-topped yellow flowers Aug-Sep, 36-48", S-PS, moist-average-wet, clay, tolerates some drought, birds eat seeds, black walnut, pollinators, great cut flower and dried flower, aggressive in ideal conditions, host plant to several moth species, North America	\$ 27.00
Eutrochium dubium (Coastal Plain Joe Pye Weed)	1 Gallon	large, fragrant, bright mauve-pink flowers in Aug-Oct, 24-60", S-PS, moist-wet-well drained, deer, clay, tolerates a little bit of drought, seed clusters feed birds and provide nesting material, nectar source, pollinators, Eastern US	\$ 20.00
Eutrochium dubium 'Little Joe' (Compact Coastal Joe Pye Weed)	2 Gallon	Large, fragrant, bright mauve-pink flowers Jul-Sep, 36-48", S-PS, moist-wet, deer, clay, tolerates a little bit of drought, great for smaller gardens, pollinators, nectar source, cultivar of our Eastern US native	\$ 27.00
Eutrochium fistulosum (Hollow Joe Pye Weed)	1 Quart	pinkish lavender flowers Aug-Sep, 5-8', deer, moist, good cut and dried flower, pollinators, birds eat seeds, host plant to Clymene Moth, Eastern North America	\$ 15.00
Eutrochium fistulosum (Hollow Joe Pye Weed)	1 Gallon	pinkish lavender flowers Aug-Sep, 5-8', deer, moist, good cut and dried flower, pollinators, birds eat seeds, host plant to Clymene Moth, Eastern North America	\$ 18.00

Eutrochium maculatum (Spotted Joe Pye Weed)	1 Gallon	fragrant, mauve-pink flowers Aug-Oct, 7-10', S-PS, moist-wet, deer, black walnut, stems are great for solitary bee nests, nectar source, pollinators, host plant to several moth species, Northeastern US	\$ 27.00
Eutrochium maculatum 'Gateway' (Spotted Joe Pye Weed Cultivar)	2.3 Gallon	fragrant, mauve flowers with dark red stems Aug-Sep, 60-72", S-PS, average-moist-wet-rich, clay, deer, pollinators, nectar source, great cut flower, stems are great for solitary bee nests, cultivar of our Northeastern US native	\$ 27.00
Eutrochium maculatum 'Red Compact' (Compact Spotted Joe Pye Weed Cultivar)	1 Quart	lavender-pink flowers Aug-Sep on dark purple stems, 48", S-PS, rich-moist-wet, butterflies, deer, black walnut, cultivar of our Northeastern native	\$ 15.00
Eutrochium purpureum (Sweet Joe Pye Weed)	1 Quart	fragrant mauve flowers Jul-Sep, 5-7', dry-moist, S-PS, deer, clay, host plant to several moths, black walnut, Eastern and Central North America	\$ 15.00
Fagus grandifolia (American Beech)	TBD	yellow-green flowers Apr-May, 50-80', S-PS, average-moist, fall color, deer, black walnut, edible nuts, needs a lot of space, Eastern North America	Call for pricing
Fragaria virginiana (Wild Strawberry)	TBD	white flowers in May, sweet red berries June, 4-6", S-PS, dry-adaptable, spreads by runners and may be aggressive, great in a planter, host plant to Gray Hairstreak, Eastern North America	\$ 15.00
Fragaria virginiana 'Intensity' (Wild Strawberry Cultivar)	1 Quart	white flowers in May, larger than the straight species sweet red berries June-Fall, 4-6", S-PS, dry-average, spreads by runners, great in a planter, cultivar	\$ 15.00
Fragaria virginiana "Port Huron" (Wild Strawberry Cultivar)	1 Quart	white flowers in May, sweet red berries June, large bright green leaves, 4-6", S-PS, dry-average, vigorous, spreads by runners, great in a planter, cultivar	\$ 15.00
Gaultheria procumbens (Wintergreen)	4" Pot	white flowers Jun-Jul followed by edible red fruit, 3", PS-Sh, dry-moist, evergreen, slow spreading ground cover, Eastern North America	\$ 24.00
Gaura lindheimeri 'Whirling Butterflies' (Wandflower)	1 Gallon	Multiple wands of white flowers May-Sep, 24-36", S, average-moist-well drained, great in planters, may not survive our winters, native to TX and LA	\$ 18.00
Gelsemium sempervirens 'Margarita' (Carolina Jessamine)	1.5 Gallon	vine of fragrant, tubular, yellow flowers May-Jun, 10-20', S-PS, moist-rich-well drained, semi-evergreen, state flower of South Carolina, hummingbirds, pollinators, nice fall color, deer resistant, caution: all parts of the plant are poisonous, Southeastern US	\$ 40.00
Geranium maculatum (Cranesbill)	1 Gallon	lavender flowers May-Jun, Sh-PS-S, 12-24", moist-dry-adaptable, pollinators, a summer trim will keep the plant looking tidy, Eastern North America	\$ 22.00
Geum (Waldsteinia) fragarioides (Barren Strawberry)	1 Gallon	yellow flowers Apr-May, 4-6", S-PS, dry-average-moist, evergreen ground cover, salt, deer, clay, great in a planter, truly carefree plant, Eastern US	\$ 27.00
Geum triflorum (Prairie Smoke)	1 Quart	pink flowers May-Jun followed by fuzzy pink heads, 6-18", S-PS, dry-well drained, low ground cover, deer, clay, lovely deep red fall color, evergreen, Northern North America	\$ 27.00
Gillenia trifoliata (Bowman's Root)	1 Gallon	star-shaped white flowers Apr-Jul, 24-36", PS-Sh, dry-average, acidic, nice fall color, deer, great fresh cut, Eastern North America	\$ 33.00
Gillenia trifoliata 'Pink Profusion' (Pink Bowman's Root Cultivar)	1 Gallon	pink flowers Jun-Jul, S-PS, 24-36", deer, seed heads persist in to winter, orange yellow fall foliage, pollinators, cultivar of Eastern US native	\$ 35.00
Hamamelis virginiana (Witch Hazel)	7 Gallon	10-15', yellow flowers Oct-Dec, average-moist-rich-well drained, clay, S-PS, fragrant, prune in early spring if necessary, Eastern North America	\$ 200.00
Helenium autumnale (Sneezeweed)	1 Quart	showy yellow flowers Aug-Oct, 36-48", moist-wet, S, deer, clay, deadhead to promote more blooms, divide every 3-4 years to maintain vigor, nectar source, pollinators, North America	\$ 12.00
Helianthus angustifolius (Swamp Sunflower)	DP50 Flat	bright yellow flowers Oct-Nov, 5-7', S-PS, moist-wet-well drained, drought, deer, great fresh cut and dried flower, black walnut, cut back in early summer to control height and promote more flowers, pollinators, host to Painted Lady and Silvery Checkerspot, Eastern US	\$ 245.00
Helianthus decapetalus (Thin-leaved Sunflower)	DP50 Flat	yellow flowers Jul-Aug, 48-60", S-PS, average-moist-well drained, tolerates drought, black walnut, spreads aggressively by rhizomes, birds eat seeds, nectar source, pollinators, host plant to Silvery Checkerspot and Painted Lady, Eastern and Central US	\$7.00/plug or \$270/flat
Helianthus divaricatus (Woodland Sunflower)	4 Quart	bright gold flowers Jul-Sep, 36-60", S-PS-Sh, dry-medium, deer, pollinators, birds, divide every 3-4 years, Eastern US	\$ 25.00
Heliopsis helianthoides (False Sunflower)	1 Quart	yellow flowers Jun-Aug 36-60", S-PS, dry-moist, Jun-Aug, short-lived perennial, will self sow, pollinators, birds love the seeds, great in a planter, Central and Eastern North America	\$ 18.00

Heliopsis helianthoides 'Summer Sun' (False Sunflower Cultivar)	2 Gallon	yellow flowers Jun-Aug 24-36", S, dry-medium, Jun-Aug, short-lived perennial, will self sow, great cut flower, great in a planter, cultivar of Central and Eastern North American native	\$ 30.00
Heuchera americana 'Green Spice' (Coral Bells)	1 Gallon	white flowers Jun-Jul over striking green and silver mottled foliage, 18-24" tall when in flower, great for edging, PS-Sh, moist-well drained, tolerates sun if soil is kept consistently moist but leaves may burn, great orange fall color, great in a planter, cultivar of North American native	\$ 30.00
Hibiscus moscheutos (Swamp Mallow)	2.3 Gallon	giant white to pink flowers Jul-Sep, 3-7', S-PS, moist-wet, does not tolerate drought, pollinators, hummingbirds, Southern and Eastern North America	\$ 35.00
Hibiscus moscheutos var. palustris (Marsh Mallow)	1 Quart	pink with red eye flowers Jul-Sep, 3-7', S, moist-wet, does not tolerate drought, great in a planter, Southern and Eastern North America	\$ 15.00
Hydrangea arborescens 'Annabelle' (Smooth Hydrangea Cultivar)	5 Gallon	Please note: this is a sterile cultivar and it does not support pollinators! white flowers Jun-Sep, 3-5', PS, moist-average-well drained, clay, drought, good fresh cut and dried flower, blooms on new wood so it can be cut back to the ground in late winter but save the hollow stems for our stem nesting native bees, rabbit, erosion,	\$ 85.00
Hydrangea arborescens 'Incrediball Blush' (Smooth Hydrangea Cultivar)	5 Gallon	pink flowers Jun-Sep, 4-5', S-PS, average-moist-well drained, erosion, black walnut, rabbit, great fresh cut and dried flower, blooms on new wood so it can be cut back to the ground in late winter but save the hollow stems for our stem nesting native bees, pollinators, cultivar of our native Hydrangea arborescens created by Dr. Ranney of NC State University and Spring Meadow Nursery	\$ 100.00
Hypericum prolificum (Shrubby St. John's Wort)	1 Gallon	1-5', bright yellow flowers Jun-Aug, S-PS-Sh, dry-moist-well drained, bees, birds, drought, salt, deer, blooms on new growth, black walnut, host plant to Gray Hairstreak and several moths, Central and Eastern North America	\$ 25.00
Ilex glabra (Inkberry)	TBD	green/white flowers May followed by dark blue berries in fall/winter, ', S-PS, average-wet-acidic, slow growing, evergreen, rabbit, deer, excellent informal hedge, open habit	TBD
Ilex glabra 'Compacta' (Compact Inkberry Cultivar)	2 Gallon	green/white flowers May followed by dark blue berries in fall/winter, 3-4', S-PS, average-wet-acidic, slow growing, evergreen, rabbit, deer, excellent informal hedge, open habit, cultivar of Eastern North American Ilex glabra	\$ 50.00
Ilex glabra 'Gem Box' (Compact Inkberry Cultivar)	3 Gallon	green/white flowers May, 24-36", S-PS, moist-average-acidic-well drained, evergreen, mounded habit, great alternative to Common Boxwood, great in a planter, cultivar of Eastern North American Ilex glabra	\$ 65.00
Ilex glabra 'Shamrock' (Compact Inkberry Cultivar)	2 Gallon	green/white flowers May, 3-4', S-PS, average-wet-acidic, evergreen, rabbit, deer, excellent informal hedge, more upright habit, cultivar of Eastern North American Ilex glabra	\$ 50.00
Ilex glabra 'Shamrock' (Compact Inkberry Cultivar)	3 Gallon	green/white flowers May, 3-4', S-PS, average-wet-acidic, evergreen, rabbit, deer, excellent informal hedge, more upright habit, cultivar of Eastern North American Ilex glabra	\$ 70.00
Ilex verticillata (Winterberry) Not Sexed VERY LIMITED AVAILABILITY	1 Quart	green flowers spring, bright red berries fall into winter - a male is needed for berries, 5-12', moist-wet-acidic, salt, S-PS, pollinators, host plant to Henry's Elfin, Eastern North America	\$ 15.00
Ilex verticillata (Female Winterberry)	1 Gallon	green flowers spring, bright red berries fall into winter - a male is needed for berries, 5-12', moist-wet-acidic, salt, S-PS, pollinators, host plant to Henry's Elfin, Eastern North America	\$ 35.00
Ilex verticillata (Female Winterberry)	2 Gallon	green flowers spring, bright red berries fall into winter - a male is needed for berries, 5-12', moist-wet-acidic, salt, S-PS, pollinators, host plant to Henry's Elfin, Eastern North America	\$ 50.00
Ilex verticillata (Male Winterberry)	1 Gallon	green flowers spring, 5-12', moist-wet-acidic, salt, S-PS, pollinators, host plant to Henry's Elfin, Eastern North America	\$ 35.00
Ilex verticillata (Male Winterberry)	2 Gallon	green flowers spring, 5-12', moist-wet-acidic, salt, S-PS, pollinators, host plant to Henry's Elfin, Eastern North America	\$ 50.00
Ilex verticillata 'Maryland Beauty' (Female Winterberry Cultivar)	1 Gallon	green flower in spring, 5-7', moist-wet-acidic, salt, S-PS, pollinators, red berries in fall-winter, prune in early spring, pair with early blooming male 'Jim Dandy', Eastern North American cultivar	\$ 35.00
Ilex verticillata 'Winter Red' (Female Winterberry Cultivar)	1 Gallon	green/white flowers Jun-Jul, 6-8', moist-wet-acidic, clay, salt, S-PS, red berries in fall, pollinators, prune in early spring, pair with late blooming male 'Southern Gentleman', Eastern North American cultivar	\$ 35.00
Ionactis linariifolius (Stiff Leaved Aster)	1 Gallon	pale blue/lavender flowers Aug-Sep, S-PS-Sh, 12-24", dry-moist, needle like foliage, tidy mound form, pollinators, Eastern US	\$ 27.00

Iris cristata (Crested Iris)	Bare Root	fragrant purple blue flowers Apr-May, 6-8", blue green foliage, PS-Sh, average-moist-acidic, nectar source, great naturalizing ground cover, deer, Northeastern US (3-5 bare roots per order)	\$ 10.00
Iris prismatica (Slender Blue Iris)	4" Pot	violet flowers Jun, 12-36", S-PS, moist-wet-rich, pollinators, birds, rhizome and rootstock are poisonous, Eastern US	\$ 12.00
Iris prismatica (Slender Blue Iris)	1 Gallon	violet flowers Jun, 12-36", S-PS, moist-wet-rich, pollinators, birds, rhizome and rootstock are poisonous, Eastern US	\$ 25.00
Iris versicolor (Blue Flag)	2 Gallon	blue violet flowers June, 24-36", average-moist-wet, salt, S-PS, pollinators, Northeastern North America	\$ 25.00
Itea virginica (Virginia Sweetspire) LIMITED AVAILABILITY	1 Gallon	white flowers Jun, 4-8' , PS, average-moist-acidic-rich-well drained, drought tolerant, deer, pollinators, erosion, blooms on last season's wood - prune immediately after flowering only if necessary, spreads by suckers to form a colony, gorgeous fall color (great alternative to invasive Burning Bush), Eastern North America	\$ 30.00
Itea virginica 'Henry's Garnet' (Virginia Sweetspire Cultivar)	3 Gallon	fragrant white flowers May-Jun, 3-4', S-PS-Sh, average-moist-acidic-rich-well drained, clay, erosion, excellent fall color, deer, pollinators, spreads by root suckering, cultivar of Eastern North American native Itea virginica	\$ 60.00
Itea virginica 'Little Henry' (Compact Virginia Sweetspire)	2 Gallon	fragrant white flowers Jun, 2-3', S-PS, medium-wet, phenomenal fall color, deer, great in a planter, pollinators, cultivar of North American native Itea virginica	\$ 55.00
Iva frutescens (Marsh Elder)	2 Gallon	greenish-white flowers Aug-Oct, 6-12', S, wet-moist, salt, birds, Eastern US	\$ 55.00
Juncus effusus (Common Soft Rush)	1 Gallon	brown blooms Jun, 24-48", S, moist-wet(but shallow to 6"), clay, deer, provides shelter for birds and they eat the seeds, great in a boggy planter, some salt tolerance, foliage may be used to weave baskets and mats, North America	\$ 21.00
Juncus greenei (Greene's Rush)	1 Gallon	dark green upright cylindrical foliage to 24", 'flowers' in Jul-Aug, dry-moist, sandy, S, Northeastern North America	\$ 21.00
Juncus tenuis (Path Rush)	DP50	bloom' Jul, 6-24", S-PS-Sh, dry-wet, clay, bog, compact soil, semi-evergreen, great ground cover for paths as it tolerates heavy foot traffic, great lawn substitute, deer, rabbit, North America	\$ 230.00
Juniperus virginiana (Eastern Red Cedar)	2 Gallon	12-50', S-PS-Sh, dry, evergreen, deer, female produces waxy blue berries, high wildlife value, Eastern North America	\$ 45.00
Lathyrus maritima (Beach Pea)	4" Pot	showy, magenta pink flowers Jun-Aug, 24-36", S-PS, sandy-well drained, blue-green foliage, salt, deer, great for seaside conditions/dunes, erosion, pollinators, birds eat seeds, North America	\$ 12.00
Lespedeza capitata (Round-headed Bush Clover)	1 Gallon	White flowers Aug-Oct, 24-60", S, moist-dry, drought tolerant, erosion, birds eat the seeds, nectar source, pollinators, host plant to Eastern Tailed Blue, Silver Spotted Skipper, native to North and Southeastern US	\$ 25.00
Liatris microcephala (Small Head Blazing Star)	4" Pot	rosy-purple spikes Jul-Aug, 24", dry-sandy, S-PS, clay, nectar source, pollinators, great in a planter, deer, Southeastern US	\$ 12.00
Liatris pycnostachya (Prairie Blazing Star)	1 Gallon	Rosy pink purple flowers Jul-Aug, 24-60", dry-average-moist, S, great cut flower, seed heads attract songbirds, nectar source, pollinators, Central and Southeastern US	\$ 27.00
Liatris scariosa var novae angliae (Devil's Bite)	2 Gallon	pink-purple spikes Aug-Oct, 36-60", S-PS, moist-dry, drought, deer, pollinators, great cut flower, Central and Eastern US	\$ 27.00
Liatris spicata (Blazing Star)	1 Gallon	rosy-purple spikes Jul-Aug, 24-36", S, dry-average-moist, great in a planter, great cut flower, pollinators, deer, Eastern US	\$ 21.00
Lindera benzoin (Spicebush)	1 Quart	fragrant yellow flowers Apr, S-PS-Sh, 8-12', deer, moist-well drained-adaptable, black walnut, nice fall color, host plant to Spicebush Swallowtail, Eastern Tiger Swallowtail and Promethea Silkmoth, Eastern US	\$ 18.00
Lobelia cardinalis (Cardinal Flower)	1 Quart	scarlet red flowers Jul-Aug, 24-60", S-PS-Sh, moist-wet, great naturalizer, nectar source, hummingbirds, clay, rabbit, deer, North America	\$ 15.00
Lobelia cardinalis (Cardinal Flower)	1 Gallon	scarlet red flowers Jul-Aug, 24-60", S-PS-Sh, moist-wet, great naturalizer, nectar source, hummingbirds, clay, rabbit, deer, North America	\$ 25.00
Lobelia siphilitica (Great Blue Lobelia)	1 Quart	blue flowers Jul-Sep, 24-48", moist-wet, PS-Sh, great naturalizer as it will self sow readily, black walnut, deer, pollinators, Eastern North America	\$ 15.00

Lobelia siphilitica (Great Blue Lobelia)	1 Gallon	blue flowers Jul-Sep, 24-48", moist-wet, PS-Sh, great naturalizer as it will self sow readily, black walnut, deer, pollinators, Eastern North America	\$ 25.00
Lonicera sempervirens (Trumpet Honeysuckle)	2 Gallon	scarlet red/yellow trumpet May-Jun, 10-20', S-PS, average-well drained, deer, rabbit, nectar source, hummingbirds, host plant to Spring Azure and Snowberry Clearwing Moth, Southeastern US	\$ 45.00
Lonicera sempervirens 'Blanche Sandman' (Trumpet Honeysuckle)	2 Gallon	orange-red flowers May-Jun, S, 10-20', average-well drained, deer, rabbit, clay, black walnut, nectar source, hummingbirds, host plant to Spring Azure and Snowberry Clearwing Moth, cultivar of Southeastern US native	\$ 45.00
Lonicera sempervirens 'John Clayton' (Trumpet Honeysuckle)	2 Gallon	mildly fragrant yellow flowers May-Jun and sporadically throughout the growing season, S, more compact at 6-12', average-well drained, great in a planter, deer, rabbit, nectar source, host plant to Spring Azure and Snowberry Clearwing Moth, cultivar of Lonicera sempervirens found in Virginia	\$ 45.00
Lonicera sempervirens 'Major Wheeler' (Trumpet Honeysuckle)	2 Gallon	coral and yellow flowers May-Jun and sporadically throughout the growing season, S-PS, deer, rabbit, hummingbirds, host plant to Spring Azure and Snowberry Clearwing Moth, cultivar of Southeastern US Native	\$ 45.00
Luzula acuminata (Hairy Wood Rush)	1 Quart	yellow 'flowers' Apr-May, hairy, semi-evergreen foliage 6-12', PS-Sh, moist-dry-adaptable, great ground cover, deer, rabbit, Eastern US	\$ 18.00
Lythrum alatum (Winged Lythrum)	1 Gallon	purple-pink flowers Jun-Sep, 12-48", average-moist-wet, clay, salt, S, deer, black walnut, pollinators, nectar source, Eastern US	\$ 24.00
Magnolia virginiana (Sweetbay Magnolia)	3 Gallon	fragrant white flowers May-Jun followed by edible dark red fruits, 12-20', S-PS, moist-wet-acidic, host plant to Tiger Swallowtail and Spicebush Swallowtail, Eastern US	\$ 75.00
Matteuccia struthiopteris (Ostrich Fern)	Bare Root	urn-shaped apple green fronds, 3-6', Sh-PS, moist, habitat for toads and small critters, deer, rabbit, very aggressive and needs a lot of space, Eastern North America (1-2 bare roots per order)	\$ 10.00
Matteuccia struthiopteris (Ostrich Fern)	1 Gallon	urn-shaped apple green fronds, 3-6', Sh-PS, moist, habitat for toads and small critters, deer, rabbit, very aggressive and needs a lot of space, Eastern North America (1-2 bare roots per order)	\$ 25.00
Meehanian cordata (Creeping Mint)	1 Quart	showy pale purple flowers May-Jul, 4-6", PS-Sh, moist-average-rich-well drained, tolerates full sun if soil is consistently moist and dry soil if in full shade, ground cover, great in a planter, pollinators, deer, great substitute for invasive Ajuga and Lamium, Mid Atlantic US	\$ 15.00
Mertensia virginica (Virginia Bluebells)	2 Quart	pink buds open to sky blue flowers Apr-May, 12-24", PS-Sh, moist-wet-rich, deer, great for early pollinators, goes dormant in summer, Northeast	\$ 27.00
Mimulus ringens (Monkeyflower)	1 Gallon	light purple flowers Jul-Sep, 24-36", moist-wet, does not tolerate drought, deer, PS-S, host plant to Common Buckeye and Baltimore Checkerspot, Northeast US	\$ 24.00
Monarda bradburiana (Bradbury Bee Balm)	1 Gallon	showy pale pink/white flowers May-Jul, 12-24", S-PS, fragrant foliage, dry-average-well drained, drought, mildew resistant, deer, rabbit, black walnut, great cut flower, pollinators, nectar source, not as aggressive as other Monarda species, host plant to Orange Mint Moth, Southern and Central US	\$ 21.00
Monarda didyma (Bee Balm)	1 Gallon	large, red flowers Jul-Aug, 24-36"-sometimes to 60", S-PS, fragrant foliage, moist-wet-rich, all parts are edible, black walnut, great cut flower and dried flower, deer, hummingbirds, pollinators, black walnut, host plant to Orange Mint Moth, Eastern North America	\$ 25.00
Monarda didyma 'Jacob Cline' (Scarlet Bee Balm Cultivar)	2 Gallon	large, red flowers Jul-Aug, 36-60", S-PS, fragrant foliage, moist-wet-rich, all parts are edible, black walnut, deer, hummingbirds, pollinators, black walnut, great cut flower and dried flower, mildew resistant, host plant to Orange Mint Moth, cultivar of Eastern North American native discovered in Georgia	\$ 25.00
Monarda fistulosa (Wild Bergamot)	1 Gallon	large, lavender pink flowers Jul-Sep, 24-60", S-PS, fragrant foliage, dry-moist-well drained, all parts are edible, clay, deer, black walnut, pollinators, host plant to Orange Mint Moth, North America	\$ 22.00
Monarda punctata (Spotted Bee Balm)	1 Gallon	very showy, creamy yellow with purple spots flowers and white/pink, green bracts Jun-Aug, 6-36", S-PS, dry-sandy, fragrant foliage, nectar source, pollinators, black walnut, deer, self sows, short lived perennial, host plant to Orange Mint Moth, Eastern and Southern US	\$ 24.00
Muhlenbergia capillaris (Pink Muhly Grass)	DP50 Flat	showy clouds of pink 'flowers' in Sep-Nov, 24-36", S, dry-average, drought, black walnut, great in a planter, deer, Western-Central US	\$ 245.00
Muhlenbergia capillaris (Pink Muhly Grass)	1 Gallon	showy clouds of pink 'flowers' in Sep-Nov, 24-36", S, dry-average, drought, black walnut, great in a planter, deer, Western-Central US	\$ 24.00

Myrica gale (Sweetgale)	1 Gallon	fragrant pale blue-green foliage, 24-48", S-PS, moist-wet, salt, provides fruit and shelter for birds, male and female needed for berries (not sexed in the trade), North America	\$ 35.00
Myrica pensylvanica (Bayberry)	2 Gallon	yellowish green flowers, 5-10', S-PS, dry-wet, deciduous, need male & female for berries (these are not sexed in the trade), adaptable, S-PS, great as an informal hedge, pollinators, Eastern North America	\$ 45.00
Nyssa sylvatica (Black Gum)	2 Gallon	greenish white flowers May-Jun, 30-50', S-PS-Sh, average-wet, black walnut, spectacular fall color, pollinators, Eastern North America	\$ 55.00
Oenothera biennis (Evening Primrose)	Bare Root	bright yellow flowers Jul-Sep, flowers open at night and close by noon, 24-60", S-PS-Sh, dry, pollinators, self sows readily, Eastern North America	\$ 5.00
Oenothera fruticosa (Sundrops)	DP50 Flat or Plug	bright yellow flowers May-Jun (day flowering member of the evening primrose family), 24-36", S-PS, dry-moist, black walnut, ground cover, nectar source, pollinators, self sows, Eastern North America	\$6.00/plug or \$220/flat
Oenothera fruticosa (Sundrops)	1 Gallon	bright yellow flowers May-Jun (day flowering member of the evening primrose family), 24-36", S-PS, dry-moist, black walnut, ground cover, nectar source, pollinators, self sows, Eastern North America	\$ 18.00
Oligoneuron rigidum var. rigidum (Stiff Goldenrod)	TBD	yellow flowers Sep-Oct, 36-60", S-PS-Sh, semi-evergreen foliage, moist-dry, clay, black walnut, deer, very aggressive, great cut and dried flower, nectar source, birds eat seeds, pollinators, host plant to several moth species, Eastern and Northeastern US	TBD
Onoclea sensibilis (Sensitive Fern)	1 Quart	light green fronds, 12-36", PS-Sh, moist-wet-rich, does not tolerate drought, spreads to form a colony, shelter for toads and salamanders, Eastern North America	\$ 15.00
Opuntia humifusa (Prickly Pear Cactus)	1 Gallon	yellow flowers Jun followed by red fruit, 4-12", S, dry-sandy, edible, great in a planter, deer, pollinators, Eastern US	\$ 27.00
Osmunda cinnamomea (Cinnamon Fern)	1 Gallon	24-36", PS-Sh, moist-wet-acidic, black walnut, rabbit, fuzz on fiddleheads is used as nesting material by birds, Eastern North America	\$ 25.00
Osmunda regalis (Royal Fern)	1 Gallon	dark green fronds, 24-36", PS-Sh, moist-wet- acidic, North America	\$ 25.00
Packera aurea (Golden Ragweed)	TBD	golden yellow flowers Apr-May, 6-30", S-PS, moist-wet, tolerates a bit of drought, great ground cover if soil is kept moist, pollinators, Eastern North America	TBD
Panicum amarum (Bitter Panic Grass)	DP50 Flat	blue green foliage, fountain shape, 36-72", S, dry-moist-adaptable, salt, host plant to several Skippers and Common Wood-Nymph, North America	\$ 175.00
Panicum amarum (Bitter Panic Grass)	1 Quart	blue green foliage, fountain shape, 36-72", S, dry-moist-adaptable, salt, host plant to several Skippers and Common Wood-Nymph, North America	\$ 15.00
Panicum amarum 'Dewey Blue' (Blue Bitter Panic Grass Cultivar)	1 Gallon	bloom' Aug, , 36-72", S, dry-average, well drained, salt, graceful fountain habit, blue-green foliage deer, birds eat seeds, cultivar of North American native	\$ 30.00
Panicum virgatum (Switchgrass)	1 Quart	blue green foliage, 3-6', Jul, S-PS, black walnut, dry-moist-adaptable, great in a planter, yellow fall color, wind pollinated, host plant to several Skippers and Common Wood-Nymph, North America	\$ 15.00
Panicum virgatum (Switchgrass)	2 Gallon	blue green foliage, 3-6', Jul, S-PS, black walnut, dry-moist-adaptable, great in a planter, yellow fall color, wind pollinated, host plant to several Skippers and Common Wood-Nymph, North America	\$ 27.00
Panicum virgatum 'Cape Breeze' (Compact Switchgrass Cultivar)	1 Gallon	36", green foliage with show stopping fall color, moist-average, S-PS, salt, deer, seeds for birds, great in a planter, host plant to several Skippers and Common Wood-Nymph, cultivar of our North American species	\$ 25.00
Panicum virgatum 'Heavy Metal' (Switchgrass Cultivar)	2 Gallon	pink panicles in Aug-Oct, 48-60", S, metallic blue foliage, great fall color, great fresh cut or dried flower, black walnut, salt, deer, birds eat seeds	\$ 25.00
Panicum virgatum 'Northwind' (Switchgrass Cultivar) 2014 Perennial Plant of the Year	2 Gallon	blue foliage, 4-6', Jul, S-PS, black walnut, medium-wet, stands up to wind, great in a planter, host plant to several Skippers and Common Wood-Nymph, cultivar of our North American species	\$ 25.00
Panicum virgatum 'Shenandoah' (Red Switchgrass Cultivar)	2 Gallon	green/burgundy foliage, 3-4', Jul, adaptable, S-PS, black walnut, great fall color, great in a planter, host plant to several Skippers and Common Wood-Nymph, cultivar of our North American species	\$ 25.00
Parthenium integrifolium (Wild Quinine)	2 Quart	white flowers Jun-Aug, 24-48", S-PS, dry-moist, deer, great cut and dried flower, pollinators, Eastern US	\$ 27.00

Parthenocissus quinquefolia (Virginia Creeper)	1 Gallon	green flowers in May-Jun, brilliant shades of red in the fall, 12-36', moist-adaptable-well drained, salt, berries attract birds, host plant to Virginia Creeper Sphinx Moth, Abbott's Sphinx Moth, Pandorus Sphinx Moth and White-lined Sphinx Moth, Eastern US	\$ 40.00
Penstemon calycosus (Calico Beardtongue)	1 Gallon	lavender/white flowers Jun-Jul, 24-36", S-PS, moist, well drained, clay, deer, rabbit, pollinators, host plant to Eastern US	\$ 25.00
Penstemon digitalis (Foxglove Beardtongue)	DP50 Flat or Plug	white flowers Jun-Jul, 24-48", S-PS, dry-moist-wet-well drained, clay, great fresh cut and dried flower, birds eat seeds, pollinators, nectar source, hummingbirds, Eastern US	\$6.00/plug or \$225/flat
Penstemon digitalis 'Husker's Red' (Foxglove Beardtongue Cutlvar) 1996 Perennial Plant of the Year	DP50 Flat or Plug	white flowers Jun-Jul and gorgeous burgundy-red foliage, 24-48", S-PS, dry-moist-wet-well drained, clay, great fresh cut and dried flower, birds eat seeds, pollinators, nectar source, hummingbirds, cultivar of Eastern US	\$6.00/plug or \$220/flat
Penstemon hirsutus (Hairy Beardtongue)	1 Gallon	lavender/white flowers Jun-Jul, 16-24", S-PS-Sh, moist-dry, drought, clay, deer, great cut flower and dried flower, pollinators, nectar source, host plant to Baltimore Checkerspot, Northeast North America	\$ 27.00
Persimmon virginiana (Common Persimmon)	TBD	Possibly in Autumn 2023	TBD
Phlox divaricata (Woodland Phlox)	DP50 Flat	lavender blue flowers Apr-May, 9-12", PS-Sh, moist-rich-well drained, deer, pollinators, drought, clay, prone to powdery mildew - cut back after flowering to control, Eastern North America	\$ 235.00
Phlox paniculata 'Robert Poore' (Garden Phlox Cultivar)	DP50 Flat or Plug	fragrant purple-pink flowers Jul-Aug, 24-60", S, moist-rich-well drained, black walnut, great cut and dried flower, nectar source, pollinators, hummingbirds, cutlvar Eastern US	\$6.00/plug or \$216/flat
Phlox subulata 'Emerald Blue' (Moss Phlox)	DP50 Flat or Plug	lavender blue flowers May-Jun, 4-6", evergreen, deer, fragrant, S-PS, moist-average, great in a planter, a light shearing after blooming will keep it tidy, cultivar of our Eastern and Central US native	\$6.00/plug or \$216/flat
Phlox subulata 'Emerald Cushion Blue' (Moss Phlox)	1 Quart	lavender blue flowers May-Jun, 4-6", evergreen, deer, fragrant, S-PS, moist-average, great in a planter, a light shearing after blooming will keep it tidy, cultivar of our Eastern and Central US native	\$ 12.00
Phlox subulata 'Fort Hill' (Moss Phlox)	1 Quart	pink flowers May-Jun, 4-6", evergreen, deer, fragrant, S-PS, moist-average, great in a planter, a light shearing after blooming will keep it tidy, cultivar of our Eastern and Central US native	\$ 12.00
Phlox subulata 'Scarlet Flame' (Moss Phlox)	8" Pan	scarlet red flowers May-Jun, 4-6", evergreen, deer, fragrant, S-PS, moist-average, great in a planter, a light shearing after blooming will keep it tidy, cultivar of our Eastern and Central US native	\$ 20.00
Phlox subulata 'Snowflake' (Moss Phlox)	8" Pan	white flowers May-Jun, 4-6", evergreen, deer, fragrant, S-PS, moist-average, great in a planter, a light shearing after blooming will keep it tidy, cultivar of our Eastern and Central US native	\$ 20.00
Physocarpus opulifolius 'Little Devil' (Compact Purple Ninebark Cultivar)	2 Gallon	pinkish white flowers in late spring, deep purple foliage, 36-48", S, dry-wet, with its upright and rounded shape it is great in a planter or in a foundation planting, alternative to invasive Japanese Barberry, cultivar	\$ 45.00
Physostegia virginiana (Obedient Plant)	DP50 Flat or Plug	pink flowers Aug-Sep, 24-48", S-PS, average-moist, clay, drought, black walnut, deer, great cut flower, nectar source, pollinators, hummingbirds, North America	\$6.00/plug or \$225/flat
Pinus strobus (Eastern White Pine)	2 Gallon	evergreen, 50-80', S-PS, average-well-drained, can be sheared as a hedge, great for birds, rabbit, deer, Eastern US	\$ 55.00
Pluchea odorata (Sweetscent)	1 Quart	fragrant, magenta flowers Aug-Sep, 24", S, wet-brackish-marsh, deer, pollinators, annual but will self sow in ideal conditions, Eastern US	\$ 15.00
Podophyllum peltatum (Mayapple)	1 Gallon	solitary white flower in May followed by edible yellow fruit in Aug-Sep, large round leaves, 12-18", PS-Sh, moist, drought, black walnut, Eastern North America	\$ 30.00
Polemonium reptans (Jacob's Ladder)	1 Gallon	light blue flowers Apr-Jun, 12-18", PS-Sh, moist-average-rich, deer, black walnut, self sows, will go dormant in drought conditions, pollinators, Midwest	\$ 27.00

Polygonatum biflorum (Solomon's Seal)	1 Gallon	white/green flowers May followed by showy blue fruit fall, 12-36", PS-Sh, moist-wet, clay, erosion, good fall color, pollinators, Eastern US	\$ 30.00
Polystichum acrostichoides (Christmas Fern)	1 Gallon	evergreen fronds growing 18-30", Sh-PS, dry-moist, deer, rabbit, Eastern North America	\$ 25.00
Prunus maritima (Beach Plum)	2 Gallon	6-12', white flowers May followed by edible fruit in Aug-Sep, S, dry-moist-well drained, two plants are needed for cross pollination, drought, salt, pollinators, deer, host plant to Coral Hairstreak, Eastern Tiger Swallowtail, Red-spotted Purple, Striped Hairstreak and dozens of moths, Northeast US	\$ 48.00
Prunus serotina (Black Cherry)	3 Gallon		\$ 60.00
Prunus virginiana (Chokecherry)	2 Gallon	fragrant white flowers Apr-May followed by edible berries Jul-Aug, 20-30', S-PS-Sh, dry-average-moist, pollinators, host plant to Small-eyed Sphinx Moth and many others, North America	\$ 50.00
Ptelea trifoliata (Wafer Ash)	TBD	greenish yellow flowers Jun followed by showy seed wafers, 15-20', S-PS-Sh, dry-moist-wet, great hedge, nectar source, host plant to Black Swallowtail, Eastern Tiger Swallowtail, Giant Swallowtail and several moths, Eastern and Central US	TBD
Pycnanthemum curvipes (Stone Mountain Mint)	1 Gallon	white flowers Jul-Sep, light green foliage, fragrant, deer, drought, nectar source, pollinators, great in container, great cut and dried flower, Southeastern US	\$ 25.00
Pycnanthemum incanum (Hairy Mountain Mint)	1 Gallon	native to Eastern US	\$ 18.00
Pycnanthemum flexuosum (Appalachian Mountain Mint)	1 Gallon	fluffy white flowers Jul-Sep, 24-36", moist-average, fragrant foliage, deer, pollinators, nectar source, great in container, great cut and dried flower, Southeastern US	\$ 25.00
Pycnanthemum muticum (Blunt Mountain Mint)	4" Pot	white with lavender spots flowers Jul-Sep, 24-36", S-PS, fragrant foliage, moist-average-well drained, pollinators, nectar source, deer, rabbit, great in container, great cut and dried flower, Eastern US	\$ 12.00
Pycnanthemum muticum (Blunt Mountain Mint)	1 Gallon	white with lavender spots flowers Jul-Sep, 24-36", S-PS, fragrant foliage, moist-average-well drained, pollinators, nectar source, deer, rabbit, great in container, great cut and dried flower, host plant for the Gray Hairstreak Butterfly, Eastern US	\$ 20.00
Pycnanthemum pilosum (Mountain Mint)	1 Gallon	white with lavender spots flowers Jul-Sep, 12-36", S-PS, fragrant foliage, dry-medium-well drained, drought, nectar source, pollinators, Eastern and Central US	\$ 18.00
Pycnanthemum tenuifolium (Threadleaf Mountain Mint)	4" Pot	white with lavender spots flowers Jul-Sep, 20-30", S-PS, fragrant foliage, dry-average-moist, pollinators, nectar source, great in container, leaves may be used in teas and cocktails, Eastern US	\$ 12.00
Pycnanthemum tenuifolium (Threadleaf Mountain Mint)	1 Gallon	white with lavender spots flowers Jul-Sep, 20-30", S-PS, fragrant foliage, dry-average-moist, pollinators, nectar source, great in container, leaves may be used in teas and cocktails, Eastern US	\$ 20.00
Pycnanthemum virginianum (Common Mountain Mint)	Plug	white with lavender spots flowers Jul-Sep, 24-36", S-PS, fragrant foliage, moist-average-adaptable, great in container, leaves may be used in teas and cocktails, Eastern US	\$5.00/plug
Pycnanthemum virginianum (Common Mountain Mint)	4" Pot	white with lavender spots flowers Jul-Sep, 24-36", S-PS, fragrant foliage, moist-average-adaptable, great in container, leaves may be used in teas and cocktails, Eastern US	\$ 12.00
Pycnanthemum virginianum (Common Mountain Mint)	1 Gallon	white with lavender spots flowers Jul-Sep, 24-36", S-PS, fragrant foliage, moist-average-adaptable, great in container, leaves may be used in teas and cocktails, Eastern US	\$ 24.00
Quercus alba (White Oak)	2 Gallon	yellowish green flowers May, 50-80', S, dry-average-acidic, clay, black walnut, good fall color, needs a lot space, wildlife superstar, host plant to several moths and butterflies including Edwards Hairstreak, Eastern US	\$ 55.00
Quercus bicolor (Swamp White Oak)	2 Gallon	yellowish green flowers Apr followed by acorns in fall, 50-60', S-PS, moist-wet-acidic, clay, good fall color, host to numerous insects providing food for birds, Northeastern North America	\$ 55.00
Quercus palustris (Pin Oak)	2 Gallon	yellowish green flowers Apr followed by acorns in fall, 50-70', S, great fall color, medium-wet-acidic, good fall color, host plant to Gray Hairstreak and numerous insects providing food for birds, Northeastern US	\$ 55.00
Quercus montana (Chestnut Oak)	TBD	yellowish green flowers Apr followed by acorns in fall, 50-70', S-PS, dry-average-acidic, drought, fall color, host to numerous insects providing food for birds, Eastern US	TBD
Quercus rubra (Red Oak)	2 Gallon	yellowish green flowers Apr followed by acorns in fall, 50-100', S-PS, dry-average, black walnut, fantastic fall color, host to Gray Hairstreak and numerous insects providing food for birds, Eastern North America	\$ 55.00

Quercus velutina (Black Oak)	2 Gallon	yellowish green flowers Apr-May followed by acorns in fall, 50-60', S, average-moist, drought, black walnut, very important for wildlife, host plant to Edwards Hairstreak and numerous insects providing food for birds, Eastern US	\$ 55.00
Ratibida pinnata (Grayheaded Coneflower)	1 Gallon	yellow flowers Jun-Aug, 36-60", S-PS, moist-dry, clay, best in groups of 3 or more, salt, pollinators, birds eat seeds, Central North America	\$ 18.00
Rhexia virginica (Meadow Beauty)	1 Gallon	rose-pink flowers Jul-Sep, 24-36", S-PS, moist-wet-acidic, 'buzz' pollinated by bumblebees, great fall color, Eastern US	\$ 27.00
Rhododendron viscosum (Swamp Azalea)	1 Gallon	fragrant white flowers Jun-Jul, 5-8', PS, moist-wet, does not tolerate drought, nice fall color, pollinators, rabbit, great cut flower, Eastern and Southern US	\$ 45.00
Rhus aromatica 'Gro-Low' (Compact Fragrant Sumac Cultivar)	1 Gallon	green yellow flowers Apr-May, 18-24", dry-medium-adaptable-well drained, S-PS, female plants have berries in late summer, rabbit, salt, spreads by suckers to 8' wide, great fall color, host plant to Banded Hairstreak and Red-banded Hairstreak, cultivar of our Midwest and Eastern US species	\$ 36.00
Rhus glabra (Smooth Sumac)	4 Quart	yellow green flowers May-Jun followed by bright red fruit on female plants (not sexed in the trade), 10-20', S-PS-Sh, dry, clay, yellow dye can be made from the roots, fall color, rabbit, black walnut, pollinators, host plant to Hairstreak butterfly, Northeastern US	\$ 36.00
Rosa carolina (Pasture Rose)	2 Gallon	fragrant pink flower in May-Jun followed by showy rose hips, 3-6', S, dry-moist-wet-acidic, fall color, prune in late winter to early spring, needs space as it will sucker and form a colony, pollinators, great substitute for invasive Rosa rugosa, Eastern and Central North America	\$ 30.00
Rosa palustris (Swamp Rose)	1 Gallon	fragrant pink flowers May-Jun followed by showy rose hips, 36-60", S-PS-Sh, moist-wet-rich, salt, pollinators, nice fall color, great substitute for invasive Rosa rugosa, Eastern North America	\$ 30.00
Rosa virginiana (Virginia Rose)	1 Quart	fragrant pink flower Jun followed by showy rose hips, 4-6', S-PS, dry-moist-well drained, nice fall color, salt, pollinators, great substitute for invasive Rosa rugosa, Eastern US	\$ 16.00
Rubus occidentalis 'Jewel' (Black Raspberry Cultivar)	1 Gallon	white flowers followed by delicious berries in July, 36-48", S, average-well drained, black walnut, pollinators, cut back old canes after bearing fruit, tip prune new canes in summer, cultivar	\$ 40.00
Rubus odoratus (Flowering Raspberry)	4 Quart	fragrant bright pink flowers Jun-Aug, thornless, 36-60", PS-S-Sh, moist, edible, black walnut, needs a lot of room as it spreads rapidly, great for birds and pollinators, fruit is edible but best left for the birds, Eastern North America	\$ 36.00
Rudbeckia fulgida var fulgida (Black-eyed Susan)	DP50 Plug or Flat	golden yellow flowers Aug-Oct, 24-30", S-PS, average-well drained, drought, clay, black walnut, pollinators, host plant to several moth species, Eastern US	\$6.00/plug or \$220/flat
Rudbeckia hirta (Sweet Black-eyed Susan)	DP50 Flat	golden yellow flowers Jul-Sep, 24-36", S-PS, moist-dry, clay, drought, black walnut, annual but self sows readily in the garden, great fresh cut and dried flower, nectar source, pollinators, host plant to Silvery Checkerspot, goldfinches eat the seeds, Eastern and Central North America	\$ 225.00
Rudbeckia laciniata (Cutleaf Coneflower)	2 Gallon	yellow flowers Jul-Sep, S-PS, 3-8', moist-wet-adaptable, pollinators, birds eat seeds, deer, black walnut, North America	\$ 40.00
Rudbeckia nitida (laciniata) 'Herbstsonne' (Laceleaf Coneflower Cultivar)	2 Gallon	spectacular yellow flowers Jul - Sep, 5-7', great cut flower, moist-average-well drained, S-PS, deer, divide clumps every 4-5 years, cultivar of North American species	\$ 25.00
Rudbeckia triloba (Brown-Eyed Susan)	1 Gallon	small but numerous golden yellow flowers Jul-Oct, 24-36", S, average, biennial but self sows readily deer, drought, pollinators, birds eat seeds, Central-Eastern US	\$ 25.00
Salix discolor (Pussy Willow)	3 Gallon	silver fuzzy 'pussy toe' catkins, Mar-Apr, 6-15', average-moist-wet-well drained, S-PS, black walnut, early pollinators, nectar source, fast growing, should be cut back every 3-5 years to encourage vigorous new growth, host plant to Mourning Cloak and Viceroy, North America	\$ 75.00
Salix humilis (Prairie Willow)	2 Gallon	Greenish-yellow catkins Apr-May, 6-12', S-PS, dry-wet, birds eat seeds, nectar source, pollinators, host plant to many butterflies and moths, central to eastern US	\$ 35.00
Salix nigra (Black Willow)	2 Gallon	fragrant green catkins Apr, 10-60', S-PS-Sh, moist-wet, clay, do not let soil dry out, fast growing, fall color, early pollinators, host plant to Acadian Hairstreak, Mourning Cloak, Viceroy, Red-spotted Purple and Tiger Swallowtail, North America	\$ 55.00

Salvia lyrata - Lyreleaf Sage	Plug or DP50 Flat	white or lavender flowers Jun-Jul, 12-24", S-PS-Sh, dry-moist, great ground cover, fantastic in the 'hell strip', drought, deer resistant, pollinators, hummingbirds, songbirds eat the seeds, host plant, tolerates foot traffic, Eastern and Central US	\$6.00/plug or \$235/flat
Sambucus canadensis (Black Elderberry)	2 Gallon	large lacey white flowers May-Jul followed by shiny black fruit in Aug (must be cooked for human consumption), 6-10', PS, moist-acidic-adaptable, tolerates full sun if soil is kept moist, great in a planter, nectar source, host plant to Summer Azure and several moth species, North and Central US	\$ 50.00
Sanguinaria canadensis (Bloodroot) LIMITED AVAILABILITY	Bare Root	white flowers Mar-May, 6-10", PS-Sh, moist-well drained, drought, spring ephemeral and will go dormant in the summertime, roots produce blood-red sap, pollinators, black walnut, Eastern and Central North America	\$ 6.00
Sanguisorba canadensis (American Burnet)	4 Quart	white bottlebrush-shaped flowers Aug-Sep, 48-60", S-PS, moist-wet, pollinators, lovely fall color, Eastern North America	\$ 30.00
Sassafras albidum (Sassafras)	TBD	greenish yellow flowers Apr-May followed by berries (female only - not sexed in the trade), 30-60', S-PS-Sh, aromatic foliage, bark may be used to make orange dye, suckers to form a colony, host plant to Spicebush Swallowtail, Tiger Swallowtail and Palamedes butterfly, Eastern North America	TBD
Schizachyrium scoparium (Little Bluestem) 2022 Perennial Plant of the Year	4" Pot	lovely gray-green foliage, 2-4', S, dry-medium-adaptable, nice fall color, deer, black walnut, nesting material, food and shelter for birds, host plant to Dusted Skipper, Indian Skipper, Crossline Skipper, Cobweb Skipper and several others, Eastern North America	\$ 12.00
Schizachyrium scoparium (Little Bluestem) 2022 Perennial Plant of the Year	1 Gallon	lovely gray-green foliage, 2-4', S, dry-medium-adaptable, nice fall color, deer, black walnut, nesting material, food and shelter for birds, host plant to Dusted Skipper, Indian Skipper, Crossline Skipper, Cobweb Skipper and several others, Eastern North America	\$ 21.00
Schizachyrium scoparium 'Standing Ovation' (Little Bluestem Cultivar) 2022 Perennial Plant of the Year	2 Gallon	lovely blue leaves with red tips and a more upright habit than the species, 2-4', S, dry-medium, great fall color, nesting material, food and shelter for birds, great in a planter, black walnut, deer, cultivar discovered in Landenberg, PA	\$ 27.00
Scutellaria incana (Downy Skullcap)	1 Gallon	violet blue flowers Jul-Sep, 24-36", PS-Sh, dry-moist-acidic-well drained, full sun if soil is kept moist, clay, drought, pollinators, deer, Central and Eastern US	\$ 29.00
Scutellaria serrata (Showy Skullcap)	4" Pot	lavender blue flowers May-Jul, 12-24", PS-S, dry-rich-well drained, leaves are edged in purple, stems are purple, great in a planter, pollinators, Eastern US	\$ 18.00
Sedum ternatum (Stonecrop)	DP50 Flat or Plug	white flowers May-Jun, 3-6", S-PS-Sh, moist-well drained, drought, rabbit, deer, tolerates light foot traffic, nectar source, pollinators, Eastern US	\$6.00/plug or \$216/flat
Sedum ternatum 'Larinem Park' (Stonecrop)	1 Quart	white flowers May-Jun, 3-6", S-PS-Sh, moist-well drained, drought, rabbit, deer, tolerates light foot traffic, nectar source, pollinators, cultivar of Eastern US native	\$ 15.00
Selaginella apoda (Meadow Spikemoss)	1 Quart	mats of moss-like foliage, 2", PS-S, moist-wet-rich, great in a terrarium, Eastern US	\$ 20.00
Sibbaldiopsis (Potentilla) tridentata 'White Cloud' (Three-Toothed Cinquefoil)	2 Quart	white flowers Jun-Aug, forms a 3-6" mat of shiny green leaves, red fall color, deer, S, dry-average-sandy, great in container and rock garden, great for small pollinators, cultivar of the North American native	\$ 24.00
Silphium terebinthinaceum (Prairie Dock)	2 Gallon	clumps of huge oval leaves to 2' long, 3" wide yellow daisies on stems 3-6' Jul-Sep, S, moist-wet, drought tolerant, pollinators, nesting material for native bees, birds eat the seeds, Central Eastern to Southeastern US	\$ 35.00
Sisyrinchium angustifolium (Narrow-leaved Blue-Eyed Grass)	1 Quart	blue flowers May-Jul, 6-10", grass like foliage, average-moist, S-PS, salt, deer, does not tolerate drought, pollinators, North America	\$ 15.00
Sisyrinchium atlanticum (Eastern Blue-Eyed Grass)	2 Quart	blue flowers May-Jul, 6-18", S-PS, grass like foliage, moist-wet-sandy, pollinators, Eastern US	\$ 20.00
Solidago bicolor (White Goldenrod)	Flat	white flowers Jul-Oct, 24-36", S-PS, dry-moist, drought, deer, rabbit, great fresh cut and dried flower, pollinators, nectar source, Eastern North America	\$ 225.00

Solidago caesia (Bluestem Goldenrod)	1 Gallon	yellow flowers Sep-Oct, 1.5-3', S-PS, dry-adaptable, deer, black walnut, pollinators, nectar source, birds eat seeds, not aggressive, great cut flower, great in a planter, host plant to several moth species, Central and Eastern North America	\$ 20.00
Solidago flexicaulis (Zigzag Goldenrod)	DP50 Flat	fragrant yellow zig zag flowers on slender stems Aug-Sep, 1-3', S-PS-Sh, moist-acidic-adaptable, clay, deer, pollinators, nectar source, great in a planter, not aggressive, host plant to several moth species, Eastern North America	\$6.00/plug or \$220/flat
Solidago flexicaulis (Zigzag Goldenrod)	1 Gallon	fragrant yellow zig zag flowers on slender stems Aug-Sep, 1-3', S-PS-Sh, moist-acidic-adaptable, clay, deer, pollinators, nectar source, great in a planter, not aggressive, host plant to several moth species, Eastern North America	\$ 25.00
Solidago juncea (Early Goldenrod)	1 Gallon	mildly fragrant yellow flowers Jul-Sep, 24-48", S-PS-Sh, dry-moist-well drained, clay, pollinators, birds eat seeds, deer, can be quite aggressive, host plant to several moth species, Eastern North America	\$ 25.00
Solidago nemoralis (Gray Goldenrod)	1 Gallon	golden yellow flowers at different times throughout Aug-Sep, 1-2', S, dry, drought, deer, pollinators, birds eat seeds, black walnut, not aggressive, host plant to several moth species, North America	\$ 25.00
Solidago odora (Sweet Goldenrod)	1 Gallon	yellow flowers Aug-Oct, 3-4', S-PS, dry-average-moist, self sows, deer, anise scented foliage, not aggressive, black walnut, pollinators, nectar source, birds eat seeds, great cut and dried flower, host plant to several moth species, Eastern and Southeastern US	\$ 25.00
Solidago rugosa (Rough Goldenrod)	1 Gallon	yellow wands Sep-Oct, 36-48", S, moist-wet-adaptable-well drained, aggressive habit, deer, black walnut, birds eat seeds, pollinators, nectar source, host plant to several moth species, Eastern and Central North America	\$ 25.00
Solidago rugosa 'Fireworks' (Rough Goldenrod Cultivar)	2 Gallon	very showy yellow wands Sep-Oct, 36-48", S-PS, average-moist-wet-adaptable, aggressive, fragrant, deer, black walnut, birds eat seeds, great cut and dried flower, nectar source, pollinators, host plant to several moth species, cultivar originated in North Carolina and may not come true from seed	\$ 25.00
Solidago sphacelata 'Golden Fleece' (Autumn Goldenrod Cultivar)	1 Gallon	wands of golden yellow flowers Aug-Oct, 18-24", S-PS, dry-average, well drained, semi-evergreen, erosion, deer, pollinators, cultivar of Central US native	\$ 21.00
Solidago sempervirens (Seaside Goldenrod)	1 Quart	showy yellow flowers Aug-Sep, 36-60", S, well drained-dry-average, deer, evergreen foliage, salt, black walnut, clay, birds eat seeds, nectar source, host plant to several moth species, may hybridize with our native Solidago rugosa if in close proximity, coastal states of Eastern US	\$ 15.00
Solidago sempervirens (Seaside Goldenrod)	1 Gallon	showy yellow flowers Aug-Sep, 36-60", S, well drained-dry-average, deer, evergreen foliage, salt, black walnut, clay, birds eat seeds, nectar source, host plant to several moth species, may hybridize with our native Solidago rugosa if in close proximity, coastal states of Eastern US	\$ 27.00
Solidago speciosa (Showy Goldenrod)	DP50 Plug or Flat	showy yellow flower clusters atop red stems Aug-Oct, 12-60", PS, dry-average-moist, may be aggressive especially in moist soils, black walnut, great cut and dried flower, birds eat seeds, nectar source, host plant to several moth species, Central and Eastern US	\$6.00/plug or \$200/flat
Solidago speciosa (Showy Goldenrod)	1 Gallon	showy yellow flower clusters atop red stems Aug-Oct, 12-60", PS, dry-average-moist, may be aggressive especially in moist soils, black walnut, great cut and dried flower, birds eat seeds, nectar source, host plant to several moth species, Central and Eastern US	\$ 25.00
Sorghastrum nutans (Indian Grass)	1 Quart	light brown with yellow stamens 'flower' atop blue-gray foliage Aug, 4-8', S, dry-average-moist, deer, clay, black walnut, birds eat seeds, nesting material for native bees, great dried flower, host plant to Pepper-and-Salt Skipper, Eastern and Central US	\$ 15.00
Spartina alterniflora (Smooth Cordgrass)	DP50 Flat	yellow 'spikes' Apr-May, S, 3-8', S, moist-wet, clay, salt, forms thick mats so it needs room, wind pollinated, important food source for aquatic wildlife, coastal states of Eastern North America	\$ 175.00
Spartina patens (Salt Meadow Cordgrass aka Salt Hay)	DP50 Flat	yellow 'spikes' Jun-Aug, 24-36", S, moist-wet, salt, wind pollinated, food source for birds, coastal states of Eastern North America	\$ 175.00
Spiraea alba (Meadowsweet)	2 Gallon	white-pale pink flowers Jul-Aug, 3-6', moist-wet, S-PS-Sh, drought tolerant, nice fall color, deer, pollinators, host plant to Spring Azure, Eastern North America	\$ 50.00
Spiraea tomentosa (Steeplebush)	2 Gallon	rose-pink flowers Jul-Sep, 36-48", S-PS, moist-wet-acidic, pollinators, yellow fall color, Eastern US	\$ 50.00

Sporobolus heterolepis (Northern Dropseed)	1 Quart	fine clumps 15" and 2'-3' with fragrant 'bloom' Jul-Aug, S, dry-medium-well drained, nice fall color, black walnut, deer, slow growing and slow to establish, nesting material for native bees, North America	\$ 15.00
Sporobolus heterolepis (Northern Dropseed)	1 Gallon	fine clumps 15" and 2'-3' with fragrant 'bloom' Jul-Aug, S, dry-medium-well drained, nice fall color, black walnut, deer, slow growing and slow to establish, nesting material for native bees, North America	\$ 21.00
Stokesia laevis 'Peachie's Pick' (Stokes' Aster)	1 Gallon	Large, fringed, lavender-blue flowers Jul-Sep, 12-18", S-PS, average-moist-well drained, drought tolerant, great cut flower, must be deadheaded for continuous bloom, rabbit, nectar source, pollinators, cultivar of Southeastern US native found in Mississippi	\$ 23.00
Stylophorum diphyllum (Celandine Poppy)	TBD	yellow flowers Apr-Jun, PS-Sh, 12-24", moist-rich, self sows, usually goes dormant in summer, chipmunks eat seeds, the plants orange yellow sap may be used as dye, Eastern North America	TBD
Symphotrichum cordifolium (Blue Wood Aster)	1 Quart	pale lavender flowers Aug-Oct, 24-36", moist-adaptable, S-PS, pollinators, great in a planter, host plant to Silvery Checkerspot, Pearl Crescent and several species of moths, Northeast	\$ 15.00
Symphotrichum cordifolium (Blue Wood Aster)	1 Gallon	pale lavender flowers Aug-Oct, 24-36", moist-adaptable, S-PS, pollinators, great in a planter, host plant to Silvery Checkerspot, Pearl Crescent and several species of moths, Northeast	\$ 22.00
Symphotrichum dumosum 'Wood's Light Blue' (Michaelmas Daisy Cultivar)	1 Gallon	blue violet flowers Aug-Sep, 12-18", average-dry-moist-well drained, drought, clay, S-PS, great in a planter, naturally compact, deer, rabbit, black walnut, great alternative to potted fall mums, pollinators, cultivar from Portland, OR of our North American native	\$ 18.00
Symphotrichum dumosum 'Wood's Pink' (Michaelmas Daisy Cultivar)	1 Gallon	pink flowers Aug-Sep, 12-18", average-dry-moist-well drained, drought, clay, S-PS, great in a planter, naturally compact, deer, rabbit, black walnut, great alternative to potted fall mums, pollinators, cultivar from Portland, OR of our North American native	\$ 18.00
Symphotrichum ericoides (Heath Aster)	1 Gallon	white flowers Aug-Oct, 12-36", S-PS, dry-medium, drought, clay, great cut flower, pollinators, nectar plant, black walnut, deer, host plant to Pearl Crescent, Central and Eastern US	\$ 25.00
Symphotrichum ericoides 'Snow Flurry' (Heath Aster Cultivar)	1 Gallon	tiny white flowers Sep, 6-8", S, drought tolerant, ground cover, pollinators, great in a planter, black walnut, deer, cultivar	\$ 24.00
Symphotrichum laeve (Smooth Aster)	4 Quart	blue violet flowers Sep-Oct, 36-48", dry-average, drought, deer, pollinators, host plant to Pearl Crescent, Northeastern US	\$ 25.00
Symphotrichum lateriflorum (Calico Aster)	1 Gallon	white flowers with dark pink or yellow centers, Aug-Oct, S-PS, 24-36", moist-dry, nectar plant, great cut flower, great in a planter, host plant to Pearl Crescent, North American cultivar	\$ 25.00
Symphotrichum lateriflorum 'Lady in Black' (Calico Aster Cultivar)	1 Gallon	white flowers with dark pink or yellow centers and purplish-black foliage, Aug-Oct, S-PS, 24-36", moist-dry, nectar plant, great cut flower, great in a planter, host plant to Pearl Crescent, North American cultivar	\$ 22.00
Symphotrichum novae-angliae (New England Aster)	1 Gallon	purple, pink or white flowers Sep-Oct, 36-72", S-PS, moist-adaptable, nectar plant, pollinators, deer, may be aggressive, great in a planter, host plant to Pearl Crescent and Checkerspot, Eastern North America	\$ 22.00
Symphotrichum novae-angliae 'Purple Dome' (Compact New England Aster Cultivar)	1 Gallon	purple flowers Sep-Oct, 18-24", S-PS, moist-adaptable, nectar plant, pollinators, deer, may be aggressive, great in a planter, host plant to Pearl Crescent and Checkerspot, Eastern North America	\$ 22.00
Symphotrichum novi-belgii (New York Aster)	1 Gallon	lavender blue flowers Aug-Sep, 24-48", S-PS, average-moist-well drained, deer, rabbit, black walnut, great cut flower, great in a planter, host plant to Pearl Crescent, Eastern North America	\$ 22.00
Symphotrichum oblongifolium (Aromatic Aster)	1 Gallon	violet-blue flowers Sep-Nov, fragrant foliage, 12-36", S-PS, dry-moist, clay, pollinators, black walnut, host plant to Silvery Checkerspot, Isabella Tiger Moth and several other Moths, great in a planter, great cut flower, Northeastern and Central US	\$ 25.00
Symphotrichum oblongifolium 'October Skies' (Compact Aromatic Aster Cultivar)	1 Gallon	violet-blue flowers Sep-Nov, fragrant foliage, 18-24", S-PS, dry-moist, clay, pollinators, black walnut, host plant to Silvery Checkerspot, Isabella Tiger Moth and several other Moths, great in a planter, great cut flower, cultivar from Pennsylvania of our Northeastern and Central US native	\$ 22.00
Symphotrichum oblongifolium 'Raydon's Favorite' (Aromatic Aster Cultivar)	1 Gallon	violet-blue flowers Sep-Nov, fragrant foliage, 24-36", S-PS, dry-moist, clay, pollinators, black walnut, host plant to Silvery Checkerspot, Isabella Tiger Moth and several other Moths, cultivar from Tennessee of our Northeastern and Central US native	\$ 22.00
Symphotrichum oolentangiense (Sky Blue Aster)	DP50 Flat	lavender blue flowers Sep-Oct, 24-36", S-PS, dry-medium-well drained, drought, erosion, spreads by rhizomes and self sows readily, nectar source, pollinators, Eastern North America	\$ 230.00

Thalictrum dasycarpum (Purple Meadow Rue)	2 Gallon	creamy green with purple stems Jun-Jul, 36-60", PS, moist-wet-rich, attractive foliage, deer, Central North America	\$ 45.00
Thalictrum pubescens (King of the Meadow)	2 Gallon	white flowers Jun-Jul, lovely blue-green foliage, 36-72", PS, tolerates full sun if soil is wet, moist-well drained, deer, rabbit, great cut flower, pollinators, Eastern North America	\$ 45.00
Thelypteris noveboracensis (New York Fern)	TBD	yellow green foliage, 12-24", PS-Sh, moist-dry-rich-acidic, fast spreader, shelter for toads, deer, songbirds use for nest building, can be aggressive, Eastern North America	TBD
Thermopsis caroliniana (Carolina Bushpea)	2 Gallon	yellow flowers in Jun followed by showy seed pods, 3-5', S-PS, moist-average, tolerates a little drought but may need water in the height of summer, does not like to be crowded, great cut flower, Southeastern US	\$ 22.00
Thuja occidentalis 'Tater Tot' (Compact American Arborvitae)	2 Gallon	fragrant evergreen, globe-shaped, 12-24", PS-S, moist-well drained, great in a planter, cultivar of North American Thuja occidentalis	\$ 55.00
Tiarella cordifolia (Foamflower)	1 Gallon	blush/white flowers May, 12-24", spreads 24", PS-Sh, moist-average-well drained, clay, ground cover, rabbit, deer, semi-evergreen, nice fall/winter color, nectar source, pollinators, Eastern North America	\$ 24.00
Tiarella cordifolia 'Brandywine' (Foamflower Cultivar)	1 Gallon	white flowers May-June, glossy green foliage with red veining, 8-12", spreads 12", PS-Sh, 4-6 weeks of flowers beginning in May, moist, does not tolerate drought, evergreen, great ground cover and edging, deer, rabbits, pollinators, cultivar of Eastern North American native	\$ 24.00
Tiarella cordifolia 'Eco Running Tapestry' (Foamflower Cultivar)	1 Gallon	white flowers May-June, foliage has splashes of red, 12-15", spreads 36", PS-Sh, moist, does not tolerate drought, evergreen, great ground cover and edging, deer, rabbits, pollinators, cultivar of Eastern North American native found in Pennsylvania	\$ 24.00
Tradescantia ohiensis (Ohio Spiderwort)	DP50 Flat	showy blue-violet flowers above bluish-green foliage Jun-Jul, 24-36", PS-S, dry-moist, clay, drought, pollinators, cut back mid summer to keep tidy and encourage second bloom, Eastern and Central North America	\$ 300.00
Tradescantia virginiana (Spiderwort)	DP50 Flat	purple but sometimes white or lavender flowers Jun-Jul, 24-36", dry-wet, S-Sh, nectar source, pollinators, cut back after flowering to encourage new foliage growth and rebloom in summer/fall, Eastern and Central US	\$ 220.00
Triadenum virginicum (Marsh St. John's Wort)	1 Quart	pink flowers Jul-Aug followed by red seed capsules in fall, 12-18", PS, moist-wet, deer, Eastern North America	\$ 15.00
Trichostema dichotomum (Forked Bluecurls)	1 Quart	whimsical violet-blue flowers Aug-Oct, 12-24", S-PS-Sh, dry-poor-sandy, nectar source, self sows readily in the garden, Eastern US	\$ 15.00
Tridens flavus (Purpletop)	TBD	Still waiting on an answer on this one :) Stay tuned!	TBD
Trillium grandiflorum (Wood Lily)	1 Quart	white to blush flowers May-Jun, 12-15", PS-Sh, moist-acidic-well drained, NOT drought tolerant, a mulch of rotted or shredded leaves is very beneficial to Wood Lilies, difficult to transplant, Eastern North America	\$ 15.00
Typha angustifolia (Narrow-leaved Cattail)	1 Gallon	brown cattail 3-7', S-PS, wet (fresh and brackish), spreads quickly by rhizomes, may be grown in 5 gallon buckets to control spread, great for wildlife habitat and as a food source, North America	\$ 27.00
Vaccinium angustifolium (Lowbush Blueberry)	1 Gallon	white flowers Apr-May followed by edible fruit Jun-Jul, planting more than one is best for fruit production, 6-24", S-PS, tolerates full shade, dry-average-acidic, moist-wet-adaptable, birds and small critters eat berries, pollinators, nectar source, host plant to Brown Elfin, Spring Azure, Striped Hairstreak and numerous moth species, Eastern North America	\$ 25.00
Vaccinium corymbosum (Highbush Blueberry)	1 Gallon	white flowers May-Jun followed by edible fruit Jul-Aug, planting more than one is best for fruit production, 6-12', S-PS, tolerates full shade, moist-wet-acidic-adaptable, excellent fall color, looks great in all four seasons, prune after fruiting if necessary, birds and small critters eat berries, pollinators, nectar source, host plant to Brown Elfin, Spring Azure, Striped Hairstreak and numerous moth species, Eastern North America	\$ 27.00
Vaccinium macrocarpon (Cranberry)	1 Quart	pinkish white flowers May-Jul followed by edible fruit in fall, 8" tall x 24" spread, PS, moist-wet-acidic, evergreen, great fall color, birds and small critters eat fruit, pollinators, difficult to transplant, host plant to several moth species, Northeastern North America	\$ 26.00

Verbena hastata (Blue Vervain)	1 Gallon	purple blue flowers Jul-Sep, 24-60", S-PS, moist-wet, salt, short lived but self sows, great cut flower, pinch plants to encourage bushier growth, pollinators, nectar source, host plant to Common Buckeye, Eastern North America	\$ 20.00
Vernonia lettermannii 'Iron Butterfly' (Compact Ironweed)	2 Gallon	magenta-purple flowers Aug-Oct, 24-36", S, moist-average-well drained, drought tolerant, clay, great in a planter, lovely fine texture, deer, rabbit, black walnut, pollinators, great cut and dried flower, cultivar found in Georgia of our native found in AR and OK	\$ 25.00
Vernonia noveboracensis (New York Ironweed)	2 Gallon	purple pink flower Aug-Sep, 48-72", S, moist-wet-acidic, tolerates drought, clay, self sows, black walnut, deer, best in the back of a garden, birds eat seeds, nectar source, pollinators, Eastern and Southeastern US	\$ 25.00
Veronicastrum virginicum (Culver's Root)	DP50 Flat	white to pale lavender flowers Jun-Aug, 48-84", S-PS, moist-wet, great in a planter, pollinators, Northeastern North America	\$ 240.00
Veronicastrum virginicum (Culver's Root)	2 Gallon	white to pale lavender flowers Jun-Aug, 48-84", S-PS, moist-wet, great in a planter, pollinators, Northeastern North America	\$ 25.00
Viburnum acerifolium - Mapleleaf Viburnum Not Available		white flowers Jun followed by bluish black fruit in late summer, 36-72", PS-Sh, dry-moist-acidic, great fall color, birds eat berries, dense suckering habit which is great cover for birds, black walnut, pollinators, host plant to Spring Azure, Eastern North America (Please Note: these are fully rooted but not large on top)	
Viburnum dentatum (Arrowwood)	2 Gallon	white flowers May-Jul followed by dark blue berries in fall, 6-10', S-PS-Sh, most adaptable of all the viburnums, average-moist-dry-acidic, tolerates flooding, clay, black walnut, makes a great hedge or screen, songbirds eat the fruit, pollinators, host plant to Spring Azure, Eastern North America	\$ 60.00
Viburnum lentago (Nannyberry)	1 Gallon	white flowers May followed by showy blue-black fruit in fall through winter, 14-16' sometimes to 25', S-PS, moist-average-well drained, drought, great for hiding the unsightly utility box, birds eat fruit, pollinators, host plant to Spring Azure, Eastern North America	\$ 35.00
Viburnum lentago (Nannyberry)	2 Gallon	white flowers May followed by showy blue-black fruit in fall through winter, 14-16' sometimes to 25', S-PS, moist-average-well drained, drought, great for hiding the unsightly utility box, birds eat fruit, pollinators, host plant to Spring Azure, Eastern North America	\$ 50.00
Viburnum (trilobum) opulus var. americanum (American Cranberry Bush)	2 Gallon	white flowers May-Jul followed by showy edible red berries late fall, 8-12', S-PS, average-moist-wet-well drained-alkaline, cross pollination is needed for berries so plant in groups of 3 or more, makes a great hedge or screen, great fall color, birds eat berries, pollinators, host plant to Spring Azure, North America	\$ 60.00
Viola labradorica (Labrador Violet)	1 Quart	violet flowers May-Sep, purple foliage, 1-3", S-PS, moist-dry-adaptable, semi-evergreen to evergreen, fantastic ground cover, deer, sow seeds anytime, self sows readily, pollinators, host plant to Variegated Fritillary and Great Spangled Fritillary, Eastern North America	\$ 15.00
Viola pedata (Birdfoot Violet)	Bare Root	deep lavender flowers Mar-May, 4-10", S-PS-Sh, dry-average-well drained, does not like competition, self sows in ideal conditions, deer, pollinators, host plant to Variegated Fritillary and Great Spangled Fritillary, Eastern North America - not the easiest to grow but so worth the try!	\$ 6.00
Viola sororia (Common Violet)	DP50 Flat	purple flowers Mar-May, 6-10", S-PS, moist-average-well drained-rich, clay, black walnut, flowers can be used in candies and jellies, great small scale ground cover, self sows readily, sow seeds anytime but preferably fall-spring but do not cover as they need light to germinate, deer, host plant to Variegated Fritillary, Great Spangled Fritillary and several other Fritillary butterflies and the native mining bee (specialist pollinator for Violets only), Eastern North America	\$6.00/plug or \$234/flat
Viola striata (Cream Violet)	DP50 Flat or Plug	cream with purple stripes on lower petal Apr-May, 8-12", PS, moist-wet, clay, tolerates light foot traffic, deer, self sows, host plant Fritillary butterflies, supports specialized bees, native to the East Coast	\$6.00/plug or \$235/flat
Wisteria frutescens 'Amethyst Falls' (Compact American Wisteria)	1 Gallon	vine with lightly fragrant lavender purple flowers Jun, 15-20', S-PS, blooms on new wood so cut back every spring, deer, drought, host plant to Silver Spotted Skipper, Marine Blue and Long-tailed Skipper, Southeastern US	\$ 45.00

Wisteria macrostachya 'Blue Moon' (Kentucky Wisteria)	1 Gallon	very fragrant pale blue flowers Jun with a light rebloom in late summer, 15-25', S, average-moist, needs a strong support to hold it, needs a lot of space, root prune to stimulate flowers, South Central US	\$ 45.00
Xanthorhiza simplicissima (Yellowroot)	1 Gallon	maroon flowers Apr-May, 1-3', PS-Sh, adaptable-dry-moist-wet-well drained, clay, deer, erosion, ground cover, black walnut, roots can be used for yellow dye, Eastern US	\$ 30.00
Zizia aptera (Heart-leaf Golden Alexanders)	1 Gallon	yellow flowers May-Jul, 12-36", S-PS, dry-average-moist, clay, short lived but self sows readily, great cut flower, nectar source, pollinators, host plant to Black Swallowtail, North America	\$ 27.00
Zizia aurea (Golden Alexanders)	1 Gallon	yellow flowers May-Jul, 18-36", S-PS, dry-wet, good cut flower, short lived but self sows readily, great cut flower, nectar source, pollinators, host plant to Black Swallowtail, Eastern US	\$ 22.00
{photos courtesy of Glover Perennials}			